



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	°F
-340					-8.095	-8.085	-8.074	-8.063	-8.052	-8.041	-8.030	-340
-330	-8.030	-8.019	-8.008	-7.996	-7.985	-7.973	-7.962	-7.950	-7.938	-7.927	-7.915	-330
-320	-7.915	-7.903	-7.890	-7.878	-7.866	-7.854	-7.841	-7.829	-7.816	-7.804	-7.791	-320
-310	-7.791	-7.778	-7.765	-7.752	-7.739	-7.726	-7.713	-7.699	-7.686	-7.672	-7.659	-310
-300	-7.659	-7.645	-7.632	-7.618	-7.604	-7.590	-7.576	-7.562	-7.548	-7.534	-7.519	-300
-290	-7.519	-7.505	-7.491	-7.476	-7.462	-7.447	-7.432	-7.417	-7.403	-7.388	-7.373	-290
-280	-7.373	-7.357	-7.342	-7.327	-7.312	-7.296	-7.281	-7.265	-7.250	-7.234	-7.219	-280
-270	-7.219	-7.203	-7.187	-7.171	-7.155	-7.139	-7.123	-7.107	-7.090	-7.074	-7.058	-270
-260	-7.058	-7.041	-7.025	-7.008	-6.991	-6.975	-6.958	-6.941	-6.924	-6.907	-6.890	-260
-250	-6.890	-6.873	-6.856	-6.839	-6.821	-6.804	-6.787	-6.769	-6.752	-6.734	-6.716	-250
-240	-6.716	-6.699	-6.681	-6.663	-6.645	-6.627	-6.609	-6.591	-6.573	-6.555	-6.536	-240
-230	-6.536	-6.518	-6.500	-6.481	-6.463	-6.444	-6.426	-6.407	-6.388	-6.370	-6.351	-230
-220	-6.351	-6.332	-6.313	-6.294	-6.275	-6.256	-6.236	-6.217	-6.198	-6.179	-6.159	-220
-210	-6.159	-6.140	-6.120	-6.101	-6.081	-6.061	-6.042	-6.022	-6.002	-5.982	-5.962	-210
-200	-5.962	-5.942	-5.922	-5.902	-5.882	-5.862	-5.842	-5.821	-5.801	-5.781	-5.760	-200
-190	-5.760	-5.740	-5.719	-5.699	-5.678	-5.657	-5.637	-5.616	-5.595	-5.574	-5.553	-190
-180	-5.553	-5.532	-5.511	-5.490	-5.469	-5.448	-5.426	-5.405	-5.384	-5.363	-5.341	-180
-170	-5.341	-5.320	-5.298	-5.277	-5.255	-5.233	-5.212	-5.190	-5.168	-5.146	-5.125	-170
-160	-5.125	-5.103	-5.081	-5.059	-5.037	-5.015	-4.992	-4.970	-4.948	-4.926	-4.903	-160
-150	-4.903	-4.881	-4.859	-4.836	-4.814	-4.791	-4.769	-4.746	-4.724	-4.701	-4.678	-150
-140	-4.678	-4.655	-4.633	-4.610	-4.587	-4.564	-4.541	-4.518	-4.495	-4.472	-4.449	-140
-130	-4.449	-4.425	-4.402	-4.379	-4.356	-4.332	-4.309	-4.286	-4.262	-4.239	-4.215	-130
-120	-4.215	-4.192	-4.168	-4.144	-4.121	-4.097	-4.073	-4.050	-4.026	-4.002	-3.978	-120
-110	-3.978	-3.954	-3.930	-3.906	-3.882	-3.858	-3.834	-3.810	-3.786	-3.761	-3.737	-110
-100	-3.737	-3.713	-3.688	-3.664	-3.640	-3.615	-3.591	-3.566	-3.542	-3.517	-3.493	-100
-90	-3.493	-3.468	-3.443	-3.419	-3.394	-3.369	-3.344	-3.320	-3.295	-3.270	-3.245	-90
-80	-3.245	-3.220	-3.195	-3.170	-3.145	-3.120	-3.095	-3.070	-3.044	-3.019	-2.994	-80
-70	-2.994	-2.969	-2.943	-2.918	-2.893	-2.867	-2.842	-2.817	-2.791	-2.766	-2.740	-70
-60	-2.740	-2.714	-2.689	-2.663	-2.638	-2.612	-2.586	-2.560	-2.535	-2.509	-2.483	-60
-50	-2.483	-2.457	-2.431	-2.405	-2.379	-2.353	-2.327	-2.301	-2.275	-2.249	-2.223	-50
-40	-2.223	-2.197	-2.171	-2.145	-2.118	-2.092	-2.066	-2.040	-2.013	-1.987	-1.961	-40
-30	-1.961	-1.934	-1.908	-1.881	-1.855	-1.828	-1.802	-1.775	-1.749	-1.722	-1.695	-30
-20	-1.695	-1.669	-1.642	-1.615	-1.589	-1.562	-1.535	-1.508	-1.482	-1.455	-1.428	-20
-10	-1.428	-1.401	-1.374	-1.347	-1.320	-1.293	-1.266	-1.239	-1.212	-1.185	-1.158	-10
0	-1.158	-1.131	-1.104	-1.076	-1.049	-1.022	-0.995	-0.967	-0.940	-0.913	-0.886	0



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
0	-0.886	-0.858	-0.831	-0.803	-0.776	-0.749	-0.721	-0.694	-0.666	-0.639	-0.611	0
10	-0.611	-0.583	-0.556	-0.528	-0.501	-0.473	-0.445	-0.418	-0.390	-0.362	-0.334	10
20	-0.334	-0.307	-0.279	-0.251	-0.223	-0.195	-0.168	-0.140	-0.112	-0.084	-0.056	20
30	-0.056	-0.028	0.000	0.028	0.056	0.084	0.112	0.140	0.168	0.196	0.225	30
40	0.225	0.253	0.281	0.309	0.337	0.365	0.394	0.422	0.450	0.478	0.507	40
50	0.507	0.535	0.563	0.592	0.620	0.649	0.677	0.705	0.734	0.762	0.791	50
60	0.791	0.819	0.848	0.876	0.905	0.933	0.962	0.991	1.019	1.048	1.076	60
70	1.076	1.105	1.134	1.162	1.191	1.220	1.249	1.277	1.306	1.335	1.364	70
80	1.364	1.392	1.421	1.450	1.479	1.508	1.537	1.566	1.594	1.623	1.652	80
90	1.652	1.681	1.710	1.739	1.768	1.797	1.826	1.855	1.884	1.913	1.942	90
100	1.942	1.972	2.001	2.030	2.059	2.088	2.117	2.146	2.175	2.205	2.234	100
110	2.234	2.263	2.292	2.322	2.351	2.380	2.409	2.439	2.468	2.497	2.527	110
120	2.527	2.556	2.585	2.615	2.644	2.673	2.703	2.732	2.762	2.791	2.821	120
130	2.821	2.850	2.880	2.909	2.938	2.968	2.997	3.027	3.057	3.086	3.116	130
140	3.116	3.145	3.175	3.204	3.234	3.264	3.293	3.323	3.353	3.382	3.412	140
150	3.412	3.442	3.471	3.501	3.531	3.560	3.590	3.620	3.650	3.679	3.709	150
160	3.709	3.739	3.769	3.798	3.828	3.858	3.888	3.918	3.948	3.977	4.007	160
170	4.007	4.037	4.067	4.097	4.127	4.157	4.187	4.217	4.246	4.276	4.306	170
180	4.306	4.336	4.366	4.396	4.426	4.456	4.486	4.516	4.546	4.576	4.606	180
190	4.606	4.636	4.666	4.696	4.726	4.757	4.787	4.817	4.847	4.877	4.907	190
200	4.907	4.937	4.967	4.997	5.028	5.058	5.088	5.118	5.148	5.178	5.209	200
210	5.209	5.239	5.269	5.299	5.329	5.360	5.390	5.420	5.450	5.480	5.511	210
220	5.511	5.541	5.571	5.602	5.632	5.662	5.692	5.723	5.753	5.783	5.814	220
230	5.814	5.844	5.874	5.905	5.935	5.965	5.996	6.026	6.056	6.087	6.117	230
240	6.117	6.147	6.178	6.208	6.239	6.269	6.299	6.330	6.360	6.391	6.421	240
250	6.421	6.452	6.482	6.512	6.543	6.573	6.604	6.634	6.665	6.695	6.726	250
260	6.726	6.756	6.787	6.817	6.848	6.878	6.909	6.939	6.970	7.000	7.031	260
270	7.031	7.061	7.092	7.122	7.153	7.184	7.214	7.245	7.275	7.306	7.336	270
280	7.336	7.367	7.398	7.428	7.459	7.489	7.520	7.550	7.581	7.612	7.642	280
290	7.642	7.673	7.704	7.734	7.765	7.795	7.826	7.857	7.887	7.918	7.949	290
300	7.949	7.979	8.010	8.041	8.071	8.102	8.133	8.163	8.194	8.225	8.255	300
310	8.255	8.286	8.317	8.347	8.378	8.409	8.439	8.470	8.501	8.532	8.562	310
320	8.562	8.593	8.624	8.654	8.685	8.716	8.747	8.777	8.808	8.839	8.869	320
330	8.869	8.900	8.931	8.962	8.992	9.023	9.054	9.085	9.115	9.146	9.177	330
340	9.177	9.208	9.238	9.269	9.300	9.331	9.362	9.392	9.423	9.454	9.485	340



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
350	9.485	9.515	9.546	9.577	9.608	9.639	9.669	9.700	9.731	9.762	9.793	350
360	9.793	9.823	9.854	9.885	9.916	9.947	9.977	10.008	10.039	10.070	10.101	360
370	10.101	10.131	10.162	10.193	10.224	10.255	10.285	10.316	10.347	10.378	10.409	370
380	10.409	10.440	10.470	10.501	10.532	10.563	10.594	10.625	10.655	10.686	10.717	380
390	10.717	10.748	10.779	10.810	10.840	10.871	10.902	10.933	10.964	10.995	11.025	390
400	11.025	11.056	11.087	11.118	11.149	11.180	11.211	11.241	11.272	11.303	11.334	400
410	11.334	11.365	11.396	11.426	11.457	11.488	11.519	11.550	11.581	11.612	11.642	410
420	11.642	11.673	11.704	11.735	11.766	11.797	11.828	11.858	11.889	11.920	11.951	420
430	11.951	11.982	12.013	12.044	12.074	12.105	12.136	12.167	12.198	12.229	12.260	430
440	12.260	12.290	12.321	12.352	12.383	12.414	12.445	12.476	12.506	12.537	12.568	440
450	12.568	12.599	12.630	12.661	12.691	12.722	12.753	12.784	12.815	12.846	12.877	450
460	12.877	12.907	12.938	12.969	13.000	13.031	13.062	13.093	13.123	13.154	13.185	460
470	13.185	13.216	13.247	13.278	13.308	13.339	13.370	13.401	13.432	13.463	13.494	470
480	13.494	13.524	13.555	13.586	13.617	13.648	13.679	13.709	13.740	13.771	13.802	480
490	13.802	13.833	13.864	13.894	13.925	13.956	13.987	14.018	14.049	14.079	14.110	490
500	14.110	14.141	14.172	14.203	14.233	14.264	14.295	14.326	14.357	14.388	14.418	500
510	14.418	14.449	14.480	14.511	14.542	14.573	14.603	14.634	14.665	14.696	14.727	510
520	14.727	14.757	14.788	14.819	14.850	14.881	14.911	14.942	14.973	15.004	15.035	520
530	15.035	15.065	15.096	15.127	15.158	15.189	15.219	15.250	15.281	15.312	15.343	530
540	15.343	15.373	15.404	15.435	15.466	15.496	15.527	15.558	15.589	15.620	15.650	540
550	15.650	15.681	15.712	15.743	15.773	15.804	15.835	15.866	15.897	15.927	15.958	550
560	15.958	15.989	16.020	16.050	16.081	16.112	16.143	16.173	16.204	16.235	16.266	560
570	16.266	16.296	16.327	16.358	16.389	16.419	16.450	16.481	16.512	16.542	16.573	570
580	16.573	16.604	16.635	16.665	16.696	16.727	16.758	16.788	16.819	16.850	16.881	580
590	16.881	16.911	16.942	16.973	17.003	17.034	17.065	17.096	17.126	17.157	17.188	590
600	17.188	17.219	17.249	17.280	17.311	17.341	17.372	17.403	17.434	17.464	17.495	600
610	17.495	17.526	17.556	17.587	17.618	17.649	17.679	17.710	17.741	17.771	17.802	610
620	17.802	17.833	17.863	17.894	17.925	17.955	17.986	18.017	18.048	18.078	18.109	620
630	18.109	18.140	18.170	18.201	18.232	18.262	18.293	18.324	18.354	18.385	18.416	630
640	18.416	18.446	18.477	18.508	18.538	18.569	18.600	18.630	18.661	18.692	18.722	640
650	18.722	18.753	18.784	18.814	18.845	18.876	18.906	18.937	18.968	18.998	19.029	650
660	19.029	19.060	19.090	19.121	19.152	19.182	19.213	19.244	19.274	19.305	19.336	660
670	19.336	19.366	19.397	19.428	19.458	19.489	19.520	19.550	19.581	19.612	19.642	670
680	19.642	19.673	19.704	19.734	19.765	19.795	19.826	19.857	19.887	19.918	19.949	680
690	19.949	19.979	20.010	20.041	20.071	20.102	20.132	20.163	20.194	20.224	20.255	690



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
700	20.255	20.286	20.316	20.347	20.378	20.408	20.439	20.469	20.500	20.531	20.561	700
710	20.561	20.592	20.623	20.653	20.684	20.715	20.745	20.776	20.806	20.837	20.868	710
720	20.868	20.898	20.929	20.960	20.990	21.021	21.052	21.082	21.113	21.143	21.174	720
730	21.174	21.205	21.235	21.266	21.297	21.327	21.358	21.389	21.419	21.450	21.480	730
740	21.480	21.511	21.542	21.572	21.603	21.634	21.664	21.695	21.726	21.756	21.787	740
750	21.787	21.817	21.848	21.879	21.909	21.940	21.971	22.001	22.032	22.063	22.093	750
760	22.093	22.124	22.154	22.185	22.216	22.246	22.277	22.308	22.338	22.369	22.400	760
770	22.400	22.430	22.461	22.492	22.522	22.553	22.584	22.614	22.645	22.676	22.706	770
780	22.706	22.737	22.768	22.798	22.829	22.860	22.890	22.921	22.952	22.982	23.013	780
790	23.013	23.044	23.074	23.105	23.136	23.166	23.197	23.228	23.258	23.289	23.320	790
800	23.320	23.350	23.381	23.412	23.442	23.473	23.504	23.535	23.565	23.596	23.627	800
810	23.627	23.657	23.688	23.719	23.749	23.780	23.811	23.842	23.872	23.903	23.934	810
820	23.934	23.964	23.995	24.026	24.057	24.087	24.118	24.149	24.180	24.210	24.241	820
830	24.241	24.272	24.303	24.333	24.364	24.395	24.426	24.456	24.487	24.518	24.549	830
840	24.549	24.579	24.610	24.641	24.672	24.702	24.733	24.764	24.795	24.826	24.856	840
850	24.856	24.887	24.918	24.949	24.979	25.010	25.041	25.072	25.103	25.134	25.164	850
860	25.164	25.195	25.226	25.257	25.288	25.318	25.349	25.380	25.411	25.442	25.473	860
870	25.473	25.504	25.534	25.565	25.596	25.627	25.658	25.689	25.720	25.750	25.781	870
880	25.781	25.812	25.843	25.874	25.905	25.936	25.967	25.998	26.028	26.059	26.090	880
890	26.090	26.121	26.152	26.183	26.214	26.245	26.276	26.307	26.338	26.369	26.400	890
900	26.400	26.431	26.462	26.493	26.524	26.555	26.586	26.617	26.648	26.679	26.710	900
910	26.710	26.741	26.772	26.803	26.834	26.865	26.896	26.927	26.958	26.989	27.020	910
920	27.020	27.051	27.082	27.113	27.144	27.175	27.206	27.237	27.268	27.299	27.330	920
930	27.330	27.362	27.393	27.424	27.455	27.486	27.517	27.548	27.579	27.610	27.642	930
940	27.642	27.673	27.704	27.735	27.766	27.797	27.829	27.860	27.891	27.922	27.953	940
950	27.953	27.985	28.016	28.047	28.078	28.109	28.141	28.172	28.203	28.234	28.266	950
960	28.266	28.297	28.328	28.359	28.391	28.422	28.453	28.485	28.516	28.547	28.579	960
970	28.579	28.610	28.641	28.672	28.704	28.735	28.767	28.798	28.829	28.861	28.892	970
980	28.892	28.923	28.955	28.986	29.018	29.049	29.080	29.112	29.143	29.175	29.206	980
990	29.206	29.238	29.269	29.301	29.332	29.363	29.395	29.426	29.458	29.489	29.521	990
1000	29.521	29.552	29.584	29.616	29.647	29.679	29.710	29.742	29.773	29.805	29.836	1000
1010	29.836	29.868	29.900	29.931	29.963	29.995	30.026	30.058	30.089	30.121	30.153	1010
1020	30.153	30.184	30.216	30.248	30.279	30.311	30.343	30.375	30.406	30.438	30.470	1020
1030	30.470	30.502	30.533	30.565	30.597	30.629	30.660	30.692	30.724	30.756	30.788	1030
1040	30.788	30.819	30.851	30.883	30.915	30.947	30.979	31.011	31.043	31.074	31.106	1040



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
1050	31.106	31.138	31.170	31.202	31.234	31.266	31.298	31.330	31.362	31.394	31.426	1050
1060	31.426	31.458	31.490	31.522	31.554	31.586	31.618	31.650	31.682	31.714	31.746	1060
1070	31.746	31.778	31.811	31.843	31.875	31.907	31.939	31.971	32.003	32.035	32.068	1070
1080	32.068	32.100	32.132	32.164	32.196	32.229	32.261	32.293	32.325	32.358	32.390	1080
1090	32.390	32.422	32.455	32.487	32.519	32.551	32.584	32.616	32.648	32.681	32.713	1090
1100	32.713	32.746	32.778	32.810	32.843	32.875	32.908	32.940	32.973	33.005	33.037	1100
1110	33.037	33.070	33.102	33.135	33.167	33.200	33.232	33.265	33.298	33.330	33.363	1110
1120	33.363	33.395	33.428	33.460	33.493	33.526	33.558	33.591	33.624	33.656	33.689	1120
1130	33.689	33.722	33.754	33.787	33.820	33.853	33.885	33.918	33.951	33.984	34.016	1130
1140	34.016	34.049	34.082	34.115	34.148	34.180	34.213	34.246	34.279	34.312	34.345	1140
1150	34.345	34.378	34.411	34.444	34.476	34.509	34.542	34.575	34.608	34.641	34.674	1150
1160	34.674	34.707	34.740	34.773	34.806	34.840	34.873	34.906	34.939	34.972	35.005	1160
1170	35.005	35.038	35.071	35.104	35.138	35.171	35.204	35.237	35.270	35.304	35.337	1170
1180	35.337	35.370	35.403	35.437	35.470	35.503	35.536	35.570	35.603	35.636	35.670	1180
1190	35.670	35.703	35.736	35.770	35.803	35.837	35.870	35.903	35.937	35.970	36.004	1190
1200	36.004	36.037	36.071	36.104	36.138	36.171	36.205	36.238	36.272	36.305	36.339	1200
1210	36.339	36.373	36.406	36.440	36.473	36.507	36.541	36.574	36.608	36.642	36.675	1210
1220	36.675	36.709	36.743	36.777	36.810	36.844	36.878	36.912	36.945	36.979	37.013	1220
1230	37.013	37.047	37.081	37.114	37.148	37.182	37.216	37.250	37.284	37.318	37.352	1230
1240	37.352	37.386	37.420	37.454	37.488	37.522	37.556	37.590	37.624	37.658	37.692	1240
1250	37.692	37.726	37.760	37.794	37.828	37.862	37.896	37.930	37.964	37.999	38.033	1250
1260	38.033	38.067	38.101	38.135	38.169	38.204	38.238	38.272	38.306	38.341	38.375	1260
1270	38.375	38.409	38.444	38.478	38.512	38.546	38.581	38.615	38.650	38.684	38.718	1270
1280	38.718	38.753	38.787	38.822	38.856	38.890	38.925	38.959	38.994	39.028	39.063	1280
1290	39.063	39.097	39.132	39.166	39.201	39.235	39.270	39.305	39.339	39.374	39.408	1290
1300	39.408	39.443	39.478	39.512	39.547	39.582	39.616	39.651	39.686	39.720	39.755	1300
1310	39.755	39.790	39.825	39.859	39.894	39.929	39.964	39.998	40.033	40.068	40.103	1310
1320	40.103	40.138	40.173	40.207	40.242	40.277	40.312	40.347	40.382	40.417	40.452	1320
1330	40.452	40.487	40.522	40.556	40.591	40.626	40.661	40.696	40.731	40.766	40.801	1330
1340	40.801	40.836	40.872	40.907	40.942	40.977	41.012	41.047	41.082	41.117	41.152	1340
1350	41.152	41.187	41.222	41.258	41.293	41.328	41.363	41.398	41.433	41.469	41.504	1350
1360	41.504	41.539	41.574	41.610	41.645	41.680	41.715	41.751	41.786	41.821	41.856	1360
1370	41.856	41.892	41.927	41.962	41.998	42.033	42.068	42.104	42.139	42.174	42.210	1370
1380	42.210	42.245	42.281	42.316	42.351	42.387	42.422	42.458	42.493	42.528	42.564	1380
1390	42.564	42.599	42.635	42.670	42.706	42.741	42.777	42.812	42.848	42.883	42.919	1390



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
*1400	42.919	42.954	42.990	43.025	43.061	43.096	43.132	43.167	43.203	43.239	43.274	1400
1410	43.274	43.310	43.346	43.381	43.417	43.452	43.488	43.524	43.559	43.595	43.631	1410
1420	43.631	43.667	43.702	43.738	43.774	43.809	43.845	43.881	43.917	43.953	43.988	1420
1430	43.988	44.024	44.060	44.096	44.131	44.167	44.203	44.239	44.275	44.310	44.346	1430
1440	44.346	44.382	44.418	44.454	44.490	44.525	44.561	44.597	44.633	44.669	44.705	1440
1450	44.705	44.741	44.777	44.812	44.848	44.884	44.920	44.956	44.992	45.028	45.064	1450
1460	45.064	45.099	45.135	45.171	45.207	45.243	45.279	45.315	45.351	45.387	45.423	1460
1470	45.423	45.458	45.494	45.530	45.566	45.602	45.638	45.674	45.710	45.746	45.782	1470
1480	45.782	45.818	45.853	45.889	45.925	45.961	45.997	46.033	46.069	46.105	46.141	1480
1490	46.141	46.177	46.212	46.248	46.284	46.320	46.356	46.392	46.428	46.464	46.500	1490
1500	46.500	46.535	46.571	46.607	46.643	46.679	46.715	46.751	46.786	46.822	46.858	1500
1510	46.858	46.894	46.930	46.966	47.001	47.037	47.073	47.109	47.145	47.181	47.216	1510
1520	47.216	47.252	47.288	47.324	47.359	47.395	47.431	47.467	47.503	47.538	47.574	1520
1530	47.574	47.610	47.646	47.681	47.717	47.753	47.788	47.824	47.860	47.896	47.931	1530
1540	47.931	47.967	48.003	48.038	48.074	48.110	48.145	48.181	48.217	48.252	48.288	1540
1550	48.288	48.324	48.359	48.395	48.430	48.466	48.502	48.537	48.573	48.608	48.644	1550
1560	48.644	48.679	48.715	48.750	48.786	48.822	48.857	48.893	48.928	48.964	48.999	1560
1570	48.999	49.034	49.070	49.105	49.141	49.176	49.212	49.247	49.283	49.318	49.353	1570
1580	49.353	49.389	49.424	49.460	49.495	49.530	49.566	49.601	49.636	49.672	49.707	1580
1590	49.707	49.742	49.778	49.813	49.848	49.883	49.919	49.954	49.989	50.024	50.060	1590
1600	50.060	50.095	50.130	50.165	50.200	50.235	50.271	50.306	50.341	50.376	50.411	1600
1610	50.411	50.446	50.481	50.517	50.552	50.587	50.622	50.657	50.692	50.727	50.762	1610
1620	50.762	50.797	50.832	50.867	50.902	50.937	50.972	51.007	51.042	51.077	51.112	1620
1630	51.112	51.147	51.181	51.216	51.251	51.286	51.321	51.356	51.391	51.425	51.460	1630
1640	51.460	51.495	51.530	51.565	51.599	51.634	51.669	51.704	51.738	51.773	51.808	1640
1650	51.808	51.843	51.877	51.912	51.947	51.981	52.016	52.051	52.085	52.120	52.154	1650
1660	52.154	52.189	52.224	52.258	52.293	52.327	52.362	52.396	52.431	52.465	52.500	1660
1670	52.500	52.534	52.569	52.603	52.638	52.672	52.707	52.741	52.776	52.810	52.844	1670
1680	52.844	52.879	52.913	52.947	52.982	53.016	53.050	53.085	53.119	53.153	53.188	1680
1690	53.188	53.222	53.256	53.290	53.325	53.359	53.393	53.427	53.462	53.496	53.530	1690
1700	53.530	53.564	53.598	53.632	53.667	53.701	53.735	53.769	53.803	53.837	53.871	1700
1710	53.871	53.905	53.939	53.973	54.007	54.041	54.075	54.109	54.143	54.177	54.211	1710
1720	54.211	54.245	54.279	54.313	54.347	54.381	54.415	54.449	54.483	54.516	54.550	1720
1730	54.550	54.584	54.618	54.652	54.686	54.719	54.753	54.787	54.821	54.855	54.888	1730
1740	54.888	54.922	54.956	54.990	55.023	55.057	55.091	55.124	55.158	55.192	55.225	1740

* Represents the maximum temperature up to which calibration tolerances have been established.



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
1750	55.225	55.259	55.293	55.326	55.360	55.393	55.427	55.461	55.494	55.528	55.561	1750
1760	55.561	55.595	55.628	55.662	55.695	55.729	55.762	55.796	55.829	55.863	55.896	1760
1770	55.896	55.930	55.963	55.997	56.030	56.063	56.097	56.130	56.164	56.197	56.230	1770
1780	56.230	56.264	56.297	56.330	56.364	56.397	56.430	56.464	56.497	56.530	56.564	1780
1790	56.564	56.597	56.630	56.663	56.697	56.730	56.763	56.796	56.829	56.863	56.896	1790
1800	56.896	56.929	56.962	56.995	57.028	57.062	57.095	57.128	57.161	57.194	57.227	1800
1810	57.227	57.260	57.293	57.326	57.360	57.393	57.426	57.459	57.492	57.525	57.558	1810
1820	57.558	57.591	57.624	57.657	57.690	57.723	57.756	57.789	57.822	57.855	57.888	1820
1830	57.888	57.920	57.953	57.986	58.019	58.052	58.085	58.118	58.151	58.184	58.217	1830
1840	58.217	58.249	58.282	58.315	58.348	58.381	58.414	58.446	58.479	58.512	58.545	1840
1850	58.545	58.578	58.610	58.643	58.676	58.709	58.741	58.774	58.807	58.840	58.872	1850
1860	58.872	58.905	58.938	58.971	59.003	59.036	59.069	59.101	59.134	59.167	59.199	1860
1870	59.199	59.232	59.265	59.297	59.330	59.363	59.395	59.428	59.460	59.493	59.526	1870
1880	59.526	59.558	59.591	59.623	59.656	59.689	59.721	59.754	59.786	59.819	59.851	1880
1890	59.851	59.884	59.916	59.949	59.982	60.014	60.047	60.079	60.112	60.144	60.177	1890
1900	60.177	60.209	60.242	60.274	60.307	60.339	60.371	60.404	60.436	60.469	60.501	1900
1910	60.501	60.534	60.566	60.599	60.631	60.663	60.696	60.728	60.761	60.793	60.826	1910
1920	60.826	60.858	60.890	60.923	60.955	60.987	61.020	61.052	61.085	61.117	61.149	1920
1930	61.149	61.182	61.214	61.246	61.279	61.311	61.343	61.376	61.408	61.440	61.473	1930
1940	61.473	61.505	61.537	61.570	61.602	61.634	61.667	61.699	61.731	61.763	61.796	1940
1950	61.796	61.828	61.860	61.893	61.925	61.957	61.989	62.022	62.054	62.086	62.118	1950
1960	62.118	62.151	62.183	62.215	62.247	62.280	62.312	62.344	62.376	62.409	62.441	1960
1970	62.441	62.473	62.505	62.537	62.570	62.602	62.634	62.666	62.699	62.731	62.763	1970
1980	62.763	62.795	62.827	62.860	62.892	62.924	62.956	62.988	63.020	63.053	63.085	1980
1990	63.085	63.117	63.149	63.181	63.214	63.246	63.278	63.310	63.342	63.374	63.406	1990
2000	63.406	63.439	63.471	63.503	63.535	63.567	63.599	63.632	63.664	63.696	63.728	2000
2010	63.728	63.760	63.792	63.824	63.856	63.889	63.921	63.953	63.985	64.017	64.049	2010
2020	64.049	64.081	64.113	64.146	64.178	64.210	64.242	64.274	64.306	64.338	64.370	2020
2030	64.370	64.402	64.435	64.467	64.499	64.531	64.563	64.595	64.627	64.659	64.691	2030
2040	64.691	64.723	64.756	64.788	64.820	64.852	64.884	64.916	64.948	64.980	65.012	2040
2050	65.012	65.044	65.076	65.109	65.141	65.173	65.205	65.237	65.269	65.301	65.333	2050
2060	65.333	65.365	65.397	65.429	65.461	65.493	65.525	65.557	65.590	65.622	65.654	2060
2070	65.654	65.686	65.718	65.750	65.782	65.814	65.846	65.878	65.910	65.942	65.974	2070
2080	65.974	66.006	66.038	66.070	66.102	66.134	66.166	66.199	66.231	66.263	66.295	2080
2090	66.295	66.327	66.359	66.391	66.423	66.455	66.487	66.519	66.551	66.583	66.615	2090



Type J Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
2100	66.615	66.647	66.679	66.711	66.743	66.775	66.807	66.839	66.871	66.903	66.935	2100
2110	66.935	66.967	66.999	67.031	67.063	67.095	67.127	67.159	67.191	67.223	67.255	2110
2120	67.255	67.287	67.319	67.351	67.383	67.415	67.447	67.479	67.511	67.543	67.575	2120
2130	67.575	67.607	67.639	67.671	67.703	67.735	67.767	67.799	67.831	67.863	67.895	2130
2140	67.895	67.927	67.959	67.991	68.023	68.055	68.087	68.119	68.150	68.182	68.214	2140
2150	68.214	68.246	68.278	68.310	68.342	68.374	68.406	68.438	68.470	68.502	68.534	2150
2160	68.534	68.566	68.597	68.629	68.661	68.693	68.725	68.757	68.789	68.821	68.853	2160
2170	68.853	68.884	68.916	68.948	68.980	69.012	69.044	69.076	69.108	69.139	69.171	2170
2180	69.171	69.203	69.235	69.267	69.299	69.330	69.362	69.394	69.426	69.458	69.490	2180
2190	69.490	69.521	69.553									2190

Reference N.I.S.T. Monograph 175 (ITS-90).
Temperature in Degrees °F, reference junction at 32°F.