



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
30			0.000	0.007	0.015	0.022	0.030	0.037	0.045	0.052	0.060	30
40	0.060	0.067	0.075	0.082	0.090	0.097	0.105	0.113	0.120	0.128	0.135	40
50	0.135	0.143	0.150	0.158	0.166	0.173	0.181	0.188	0.196	0.204	0.211	50
60	0.211	0.219	0.227	0.234	0.242	0.250	0.257	0.265	0.273	0.281	0.288	60
70	0.288	0.296	0.304	0.311	0.319	0.327	0.335	0.342	0.350	0.358	0.366	70
80	0.366	0.374	0.381	0.389	0.397	0.405	0.413	0.421	0.428	0.436	0.444	80
90	0.444	0.452	0.460	0.468	0.476	0.483	0.491	0.499	0.507	0.515	0.523	90
100	0.523	0.531	0.539	0.547	0.555	0.563	0.571	0.579	0.587	0.595	0.603	100
110	0.603	0.611	0.619	0.627	0.635	0.643	0.651	0.659	0.667	0.675	0.683	110
120	0.683	0.691	0.699	0.707	0.715	0.723	0.731	0.740	0.748	0.756	0.764	120
130	0.764	0.772	0.780	0.788	0.796	0.805	0.813	0.821	0.829	0.837	0.846	130
140	0.846	0.854	0.862	0.870	0.878	0.887	0.895	0.903	0.911	0.920	0.928	140
150	0.928	0.936	0.944	0.953	0.961	0.969	0.977	0.986	0.994	1.002	1.011	150
160	1.011	1.019	1.027	1.036	1.044	1.052	1.061	1.069	1.077	1.086	1.094	160
170	1.094	1.103	1.111	1.119	1.128	1.136	1.145	1.153	1.161	1.170	1.178	170
180	1.178	1.187	1.195	1.204	1.212	1.221	1.229	1.238	1.246	1.254	1.263	180
190	1.263	1.272	1.280	1.289	1.297	1.306	1.314	1.323	1.331	1.340	1.348	190
200	1.348	1.357	1.365	1.374	1.383	1.391	1.400	1.408	1.417	1.426	1.434	200
210	1.434	1.443	1.451	1.460	1.469	1.477	1.486	1.495	1.503	1.512	1.521	210
220	1.521	1.529	1.538	1.547	1.555	1.564	1.573	1.582	1.590	1.599	1.608	220
230	1.608	1.617	1.625	1.634	1.643	1.652	1.660	1.669	1.678	1.687	1.695	230
240	1.695	1.704	1.713	1.722	1.731	1.739	1.748	1.757	1.766	1.775	1.784	240
250	1.784	1.792	1.801	1.810	1.819	1.828	1.837	1.846	1.855	1.863	1.872	250
260	1.872	1.881	1.890	1.899	1.908	1.917	1.926	1.935	1.944	1.953	1.962	260
270	1.962	1.970	1.979	1.988	1.997	2.006	2.015	2.024	2.033	2.042	2.051	270
280	2.051	2.060	2.069	2.078	2.087	2.096	2.105	2.114	2.124	2.133	2.142	280
290	2.142	2.151	2.160	2.169	2.178	2.187	2.196	2.205	2.214	2.223	2.232	290
300	2.232	2.242	2.251	2.260	2.269	2.278	2.287	2.296	2.305	2.315	2.324	300
310	2.324	2.333	2.342	2.351	2.360	2.370	2.379	2.388	2.397	2.406	2.415	310
320	2.415	2.425	2.434	2.443	2.452	2.462	2.471	2.480	2.489	2.498	2.508	320
330	2.508	2.517	2.526	2.536	2.545	2.554	2.563	2.573	2.582	2.591	2.600	330
340	2.600	2.610	2.619	2.628	2.638	2.647	2.656	2.666	2.675	2.684	2.694	340



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
350	2.694	2.703	2.712	2.722	2.731	2.74	2.75	2.759	2.769	2.778	2.787	350
360	2.787	2.797	2.806	2.815	2.825	2.834	2.844	2.853	2.863	2.872	2.881	360
370	2.881	2.891	2.9	2.91	2.919	2.929	2.938	2.948	2.957	2.966	2.976	370
380	2.976	2.985	2.995	3.004	3.014	3.023	3.033	3.042	3.052	3.061	3.071	380
390	3.071	3.08	3.09	3.099	3.109	3.119	3.128	3.138	3.147	3.157	3.166	390
400	3.166	3.176	3.185	3.195	3.205	3.214	3.224	3.233	3.243	3.252	3.262	400
410	3.262	3.272	3.281	3.291	3.301	3.31	3.32	3.329	3.339	3.349	3.358	410
420	3.358	3.368	3.378	3.387	3.397	3.407	3.416	3.426	3.436	3.445	3.455	420
430	3.455	3.465	3.474	3.484	3.494	3.503	3.513	3.523	3.532	3.542	3.552	430
440	3.552	3.562	3.571	3.581	3.591	3.6	3.61	3.62	3.63	3.639	3.649	440
450	3.649	3.659	3.669	3.678	3.688	3.698	3.708	3.718	3.727	3.737	3.747	450
460	3.747	3.757	3.767	3.776	3.786	3.796	3.806	3.816	3.825	3.835	3.845	460
470	3.845	3.855	3.865	3.875	3.884	3.894	3.904	3.914	3.924	3.934	3.943	470
480	3.943	3.953	3.963	3.973	3.983	3.993	4.003	4.013	4.022	4.032	4.042	480
490	4.042	4.052	4.062	4.072	4.082	4.092	4.102	4.112	4.122	4.131	4.141	490
500	4.141	4.151	4.161	4.171	4.181	4.191	4.201	4.211	4.221	4.231	4.241	500
510	4.241	4.251	4.261	4.271	4.281	4.291	4.301	4.311	4.321	4.331	4.341	510
520	4.341	4.351	4.361	4.371	4.381	4.391	4.401	4.411	4.421	4.431	4.441	520
530	4.441	4.451	4.461	4.471	4.481	4.491	4.501	4.511	4.521	4.531	4.541	530
540	4.541	4.551	4.561	4.571	4.582	4.592	4.602	4.612	4.622	4.632	4.642	540
550	4.642	4.652	4.662	4.672	4.682	4.692	4.703	4.713	4.723	4.733	4.743	550
560	4.743	4.753	4.763	4.773	4.784	4.794	4.804	4.814	4.824	4.834	4.844	560
570	4.844	4.855	4.865	4.875	4.885	4.895	4.905	4.915	4.926	4.936	4.946	570
580	4.946	4.956	4.966	4.977	4.987	4.997	5.007	5.017	5.027	5.038	5.048	580
590	5.048	5.058	5.068	5.078	5.089	5.099	5.109	5.119	5.13	5.14	5.15	590
600	5.15	5.16	5.17	5.181	5.191	5.201	5.211	5.222	5.232	5.242	5.252	600
610	5.252	5.263	5.273	5.283	5.294	5.304	5.314	5.324	5.335	5.345	5.355	610
620	5.355	5.365	5.376	5.386	5.396	5.407	5.417	5.427	5.437	5.448	5.458	620
630	5.458	5.468	5.479	5.489	5.499	5.51	5.52	5.53	5.541	5.551	5.561	630
640	5.561	5.572	5.582	5.592	5.603	5.613	5.623	5.634	5.644	5.654	5.665	640
650	5.665	5.675	5.685	5.696	5.706	5.717	5.727	5.737	5.748	5.758	5.768	650
660	5.768	5.779	5.789	5.8	5.81	5.82	5.831	5.841	5.851	5.862	5.872	660
670	5.872	5.883	5.893	5.903	5.914	5.924	5.935	5.945	5.956	5.966	5.976	670
680	5.976	5.987	5.997	6.008	6.018	6.028	6.039	6.049	6.06	6.07	6.081	680
690	6.081	6.091	6.102	6.112	6.122	6.133	6.143	6.154	6.164	6.175	6.185	690



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
700	6.185	6.196	6.206	6.217	6.227	6.238	6.248	6.259	6.269	6.279	6.290	700
710	6.290	6.300	6.311	6.321	6.332	6.342	6.353	6.363	6.374	6.384	6.395	710
720	6.395	6.405	6.416	6.426	6.437	6.447	6.458	6.468	6.479	6.490	6.500	720
730	6.500	6.511	6.521	6.532	6.542	6.553	6.563	6.574	6.584	6.595	6.605	730
740	6.605	6.616	6.626	6.637	6.648	6.658	6.669	6.679	6.690	6.700	6.711	740
750	6.711	6.721	6.732	6.743	6.753	6.764	6.774	6.785	6.795	6.806	6.817	750
760	6.817	6.827	6.838	6.848	6.859	6.869	6.880	6.891	6.901	6.912	6.922	760
770	6.922	6.933	6.944	6.954	6.965	6.975	6.986	6.997	7.007	7.018	7.028	770
780	7.028	7.039	7.050	7.060	7.071	7.082	7.092	7.103	7.113	7.124	7.135	780
790	7.135	7.145	7.156	7.167	7.177	7.188	7.198	7.209	7.220	7.230	7.241	790
800	7.241	7.252	7.262	7.273	7.284	7.294	7.305	7.315	7.326	7.337	7.347	800
810	7.347	7.358	7.369	7.379	7.390	7.401	7.411	7.422	7.433	7.443	7.454	810
820	7.454	7.465	7.475	7.486	7.497	7.507	7.518	7.529	7.540	7.550	7.561	820
830	7.561	7.572	7.582	7.593	7.604	7.614	7.625	7.636	7.646	7.657	7.668	830
840	7.668	7.678	7.689	7.700	7.711	7.721	7.732	7.743	7.753	7.764	7.775	840
850	7.775	7.786	7.796	7.807	7.818	7.828	7.839	7.850	7.861	7.871	7.882	850
860	7.882	7.893	7.903	7.914	7.925	7.936	7.946	7.957	7.968	7.979	7.989	860
870	7.989	8.000	8.011	8.022	8.032	8.043	8.054	8.064	8.075	8.086	8.097	870
880	8.097	8.107	8.118	8.129	8.140	8.150	8.161	8.172	8.183	8.193	8.204	880
890	8.204	8.215	8.226	8.236	8.247	8.258	8.269	8.280	8.290	8.301	8.312	890
900	8.312	8.323	8.333	8.344	8.355	8.366	8.376	8.387	8.398	8.409	8.420	900
910	8.420	8.430	8.441	8.452	8.463	8.473	8.484	8.495	8.506	8.517	8.527	910
920	8.527	8.538	8.549	8.560	8.571	8.581	8.592	8.603	8.614	8.625	8.635	920
930	8.635	8.646	8.657	8.668	8.678	8.689	8.700	8.711	8.722	8.732	8.743	930
940	8.743	8.754	8.765	8.776	8.787	8.797	8.808	8.819	8.830	8.841	8.851	940
950	8.851	8.862	8.873	8.884	8.895	8.905	8.916	8.927	8.938	8.949	8.960	950
960	8.960	8.970	8.981	8.992	9.003	9.014	9.024	9.035	9.046	9.057	9.068	960
970	9.068	9.079	9.089	9.100	9.111	9.122	9.133	9.144	9.154	9.165	9.176	970
980	9.176	9.187	9.198	9.209	9.219	9.230	9.241	9.252	9.263	9.274	9.284	980
990	9.284	9.295	9.306	9.317	9.328	9.339	9.349	9.360	9.371	9.382	9.393	990
1000	9.393	9.404	9.414	9.425	9.436	9.447	9.458	9.469	9.480	9.490	9.501	1000
1010	9.501	9.512	9.523	9.534	9.545	9.555	9.566	9.577	9.588	9.599	9.610	1010
1020	9.610	9.621	9.631	9.642	9.653	9.664	9.675	9.686	9.697	9.707	9.718	1020
1030	9.718	9.729	9.740	9.751	9.762	9.773	9.783	9.794	9.805	9.816	9.827	1030
1040	9.827	9.838	9.849	9.859	9.870	9.881	9.892	9.903	9.914	9.925	9.935	1040



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
1050	9.935	9.946	9.957	9.968	9.979	9.990	10.001	10.011	10.022	10.033	10.044	1050
1060	10.044	10.055	10.066	10.077	10.087	10.098	10.109	10.120	10.131	10.142	10.153	1060
1070	10.153	10.163	10.174	10.185	10.196	10.207	10.218	10.229	10.239	10.250	10.261	1070
1080	10.261	10.272	10.283	10.294	10.305	10.316	10.326	10.337	10.348	10.359	10.370	1080
1090	10.370	10.381	10.392	10.402	10.413	10.424	10.435	10.446	10.457	10.468	10.478	1090
1100	10.478	10.489	10.500	10.511	10.522	10.533	10.544	10.554	10.565	10.576	10.587	1100
1110	10.587	10.598	10.609	10.620	10.630	10.641	10.652	10.663	10.674	10.685	10.696	1110
1120	10.696	10.706	10.717	10.728	10.739	10.750	10.761	10.772	10.782	10.793	10.804	1120
1130	10.804	10.815	10.826	10.837	10.848	10.858	10.869	10.880	10.891	10.902	10.913	1130
1140	10.913	10.923	10.934	10.945	10.956	10.967	10.978	10.989	10.999	11.010	11.021	1140
1150	11.021	11.032	11.043	11.054	11.064	11.075	11.086	11.097	11.108	11.119	11.130	1150
1160	11.130	11.140	11.151	11.162	11.173	11.184	11.195	11.205	11.216	11.227	11.238	1160
1170	11.238	11.249	11.260	11.270	11.281	11.292	11.303	11.314	11.325	11.335	11.346	1170
1180	11.346	11.357	11.368	11.379	11.390	11.400	11.411	11.422	11.433	11.444	11.455	1180
1190	11.455	11.465	11.476	11.487	11.498	11.509	11.520	11.530	11.541	11.552	11.563	1190
1200	11.563	11.574	11.585	11.595	11.606	11.617	11.628	11.639	11.650	11.660	11.671	1200
1210	11.671	11.682	11.693	11.704	11.715	11.725	11.736	11.747	11.758	11.769	11.780	1210
1220	11.780	11.790	11.801	11.812	11.823	11.834	11.844	11.855	11.866	11.877	11.888	1220
1230	11.888	11.899	11.909	11.920	11.931	11.942	11.953	11.964	11.974	11.985	11.996	1230
1240	11.996	12.007	12.018	12.029	12.039	12.050	12.061	12.072	12.083	12.093	12.104	1240
1250	12.104	12.115	12.126	12.137	12.148	12.158	12.169	12.180	12.191	12.202	12.213	1250
1260	12.213	12.223	12.234	12.245	12.256	12.267	12.277	12.288	12.299	12.310	12.321	1260
1270	12.321	12.332	12.342	12.353	12.364	12.375	12.386	12.396	12.407	12.418	12.429	1270
1280	12.429	12.440	12.450	12.461	12.472	12.483	12.494	12.505	12.515	12.526	12.537	1280
1290	12.537	12.548	12.559	12.569	12.580	12.591	12.602	12.613	12.623	12.634	12.645	1290
1300	12.645	12.656	12.667	12.677	12.688	12.699	12.710	12.721	12.731	12.742	12.753	1300
1310	12.753	12.764	12.775	12.785	12.796	12.807	12.818	12.829	12.839	12.850	12.861	1310
1320	12.861	12.872	12.883	12.893	12.904	12.915	12.926	12.937	12.947	12.958	12.969	1320
1330	12.969	12.980	12.990	13.001	13.012	13.023	13.034	13.044	13.055	13.066	13.077	1330
1340	13.077	13.088	13.098	13.109	13.120	13.131	13.141	13.152	13.163	13.174	13.185	1340
1350	13.185	13.195	13.206	13.217	13.228	13.238	13.249	13.260	13.271	13.282	13.292	1350
1360	13.292	13.303	13.314	13.325	13.335	13.346	13.357	13.368	13.378	13.389	13.400	1360
1370	13.400	13.411	13.421	13.432	13.443	13.454	13.465	13.475	13.486	13.497	13.508	1370
1380	13.508	13.518	13.529	13.540	13.551	13.561	13.572	13.583	13.594	13.604	13.615	1380
1390	13.615	13.626	13.637	13.647	13.658	13.669	13.680	13.690	13.701	13.712	13.723	1390



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
1400	13.723	13.733	13.744	13.755	13.766	13.776	13.787	13.798	13.808	13.819	13.830	1400
1410	13.830	13.841	13.851	13.862	13.873	13.884	13.894	13.905	13.916	13.926	13.937	1410
1420	13.937	13.948	13.959	13.969	13.980	13.991	14.002	14.012	14.023	14.034	14.044	1420
1430	14.044	14.055	14.066	14.077	14.087	14.098	14.109	14.119	14.130	14.141	14.152	1430
1440	14.152	14.162	14.173	14.184	14.194	14.205	14.216	14.227	14.237	14.248	14.259	1440
1450	14.259	14.269	14.280	14.291	14.301	14.312	14.323	14.333	14.344	14.355	14.366	1450
1460	14.366	14.376	14.387	14.398	14.408	14.419	14.430	14.440	14.451	14.462	14.472	1460
1470	14.472	14.483	14.494	14.504	14.515	14.526	14.537	14.547	14.558	14.569	14.579	1470
1480	14.579	14.590	14.601	14.611	14.622	14.633	14.643	14.654	14.665	14.675	14.686	1480
1490	14.686	14.697	14.707	14.718	14.729	14.739	14.750	14.760	14.771	14.782	14.792	1490
1500	14.792	14.803	14.814	14.824	14.835	14.846	14.856	14.867	14.878	14.888	14.899	1500
1510	14.899	14.910	14.920	14.931	14.941	14.952	14.963	14.973	14.984	14.995	15.005	1510
1520	15.005	15.016	15.027	15.037	15.048	15.058	15.069	15.080	15.090	15.101	15.112	1520
1530	15.112	15.122	15.133	15.143	15.154	15.165	15.175	15.186	15.196	15.207	15.218	1530
1540	15.218	15.228	15.239	15.250	15.260	15.271	15.281	15.292	15.303	15.313	15.324	1540
1550	15.324	15.334	15.345	15.356	15.366	15.377	15.387	15.398	15.408	15.419	15.430	1550
1560	15.430	15.440	15.451	15.461	15.472	15.483	15.493	15.504	15.514	15.525	15.535	1560
1570	15.535	15.546	15.557	15.567	15.578	15.588	15.599	15.609	15.620	15.631	15.641	1570
1580	15.641	15.652	15.662	15.673	15.683	15.694	15.704	15.715	15.726	15.736	15.747	1580
1590	15.747	15.757	15.768	15.778	15.789	15.799	15.810	15.821	15.831	15.842	15.852	1590
1600	15.852	15.863	15.873	15.884	15.894	15.905	15.915	15.926	15.936	15.947	15.957	1600
1610	15.957	15.968	15.979	15.989	16.000	16.010	16.021	16.031	16.042	16.052	16.063	1610
1620	16.063	16.073	16.084	16.094	16.105	16.115	16.126	16.136	16.147	16.157	16.168	1620
1630	16.168	16.178	16.189	16.199	16.210	16.220	16.231	16.241	16.252	16.262	16.273	1630
1640	16.273	16.283	16.294	16.304	16.315	16.325	16.336	16.346	16.357	16.367	16.377	1640
1650	16.377	16.388	16.398	16.409	16.419	16.430	16.440	16.451	16.461	16.472	16.482	1650
1660	16.482	16.493	16.503	16.514	16.524	16.534	16.545	16.555	16.566	16.576	16.587	1660
1670	16.587	16.597	16.608	16.618	16.628	16.639	16.649	16.660	16.670	16.681	16.691	1670
1680	16.691	16.702	16.712	16.722	16.733	16.743	16.754	16.764	16.775	16.785	16.795	1680
1690	16.795	16.806	16.816	16.827	16.837	16.847	16.858	16.868	16.879	16.889	16.899	1690
1700	16.899	16.910	16.920	16.931	16.941	16.952	16.962	16.972	16.983	16.993	17.003	1700
1710	17.003	17.014	17.024	17.035	17.045	17.055	17.066	17.076	17.087	17.097	17.107	1710
1720	17.107	17.118	17.128	17.138	17.149	17.159	17.170	17.180	17.190	17.201	17.211	1720
1730	17.211	17.221	17.232	17.242	17.252	17.263	17.273	17.284	17.294	17.304	17.315	1730
1740	17.315	17.325	17.335	17.346	17.356	17.366	17.377	17.387	17.397	17.408	17.418	1740



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
1750	17.418	17.428	17.439	17.449	17.459	17.470	17.480	17.490	17.501	17.511	17.521	1750
1760	17.521	17.532	17.542	17.552	17.563	17.573	17.583	17.593	17.604	17.614	17.624	1760
1770	17.624	17.635	17.645	17.655	17.666	17.676	17.686	17.696	17.707	17.717	17.727	1770
1780	17.727	17.738	17.748	17.758	17.768	17.779	17.789	17.799	17.810	17.820	17.830	1780
1790	17.830	17.840	17.851	17.861	17.871	17.881	17.892	17.902	17.912	17.922	17.933	1790
1800	17.933	17.943	17.953	17.964	17.974	17.984	17.994	18.005	18.015	18.025	18.035	1800
1810	18.035	18.045	18.056	18.066	18.076	18.086	18.097	18.107	18.117	18.127	18.138	1810
1820	18.138	18.148	18.158	18.168	18.178	18.189	18.199	18.209	18.219	18.230	18.240	1820
1830	18.240	18.250	18.260	18.270	18.281	18.291	18.301	18.311	18.321	18.332	18.342	1830
1840	18.342	18.352	18.362	18.372	18.383	18.393	18.403	18.413	18.423	18.433	18.444	1840
1850	18.444	18.454	18.464	18.474	18.484	18.495	18.505	18.515	18.525	18.535	18.545	1850
1860	18.545	18.556	18.566	18.576	18.586	18.596	18.606	18.616	18.627	18.637	18.647	1860
1870	18.647	18.657	18.667	18.677	18.687	18.698	18.708	18.718	18.728	18.738	18.748	1870
1880	18.748	18.758	18.769	18.779	18.789	18.799	18.809	18.819	18.829	18.839	18.849	1880
1890	18.849	18.860	18.870	18.880	18.890	18.900	18.910	18.920	18.930	18.940	18.951	1890
1900	18.951	18.961	18.971	18.981	18.991	19.001	19.011	19.021	19.031	19.041	19.051	1900
1910	19.051	19.062	19.072	19.082	19.092	19.102	19.112	19.122	19.132	19.142	19.152	1910
1920	19.152	19.162	19.172	19.182	19.192	19.202	19.212	19.223	19.233	19.243	19.253	1920
1930	19.253	19.263	19.273	19.283	19.293	19.303	19.313	19.323	19.333	19.343	19.353	1930
1940	19.353	19.363	19.373	19.383	19.393	19.403	19.413	19.423	19.433	19.443	19.453	1940
1950	19.453	19.463	19.473	19.483	19.493	19.503	19.513	19.523	19.533	19.543	19.553	1950
1960	19.553	19.563	19.573	19.583	19.593	19.603	19.613	19.623	19.633	19.643	19.653	1960
1970	19.653	19.663	19.673	19.683	19.693	19.703	19.713	19.723	19.733	19.743	19.753	1970
1980	19.753	19.763	19.773	19.783	19.793	19.803	19.813	19.823	19.833	19.842	19.852	1980
1990	19.852	19.862	19.872	19.882	19.892	19.902	19.912	19.922	19.932	19.942	19.952	1990
2000	19.952	19.962	19.972	19.982	19.991	20.001	20.011	20.021	20.031	20.041	20.051	2000
2010	20.051	20.061	20.071	20.081	20.091	20.100	20.110	20.120	20.130	20.140	20.150	2010
2020	20.150	20.160	20.170	20.180	20.190	20.199	20.209	20.219	20.229	20.239	20.249	2020
2030	20.249	20.259	20.269	20.278	20.288	20.298	20.308	20.318	20.328	20.338	20.347	2030
2040	20.347	20.357	20.367	20.377	20.387	20.397	20.407	20.416	20.426	20.436	20.446	2040
2050	20.446	20.456	20.466	20.475	20.485	20.495	20.505	20.515	20.525	20.534	20.544	2050
2060	20.544	20.554	20.564	20.574	20.584	20.593	20.603	20.613	20.623	20.633	20.642	2060
2070	20.642	20.652	20.662	20.672	20.682	20.691	20.701	20.711	20.721	20.731	20.740	2070
2080	20.740	20.750	20.760	20.770	20.779	20.789	20.799	20.809	20.819	20.828	20.838	2080
2090	20.838	20.848	20.858	20.867	20.877	20.887	20.897	20.906	20.916	20.926	20.936	2090



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
2100	20.936	20.945	20.955	20.965	20.975	20.984	20.994	21.004	21.014	21.023	21.033	2100
2110	21.033	21.043	21.053	21.062	21.072	21.082	21.091	21.101	21.111	21.121	21.130	2110
2120	21.130	21.140	21.150	21.159	21.169	21.179	21.189	21.198	21.208	21.218	21.227	2120
2130	21.227	21.237	21.247	21.256	21.266	21.276	21.285	21.295	21.305	21.315	21.324	2130
2140	21.324	21.334	21.344	21.353	21.363	21.373	21.382	21.392	21.402	21.411	21.421	2140
2150	21.421	21.431	21.440	21.450	21.460	21.469	21.479	21.488	21.498	21.508	21.517	2150
2160	21.517	21.527	21.537	21.546	21.556	21.566	21.575	21.585	21.594	21.604	21.614	2160
2170	21.614	21.623	21.633	21.643	21.652	21.662	21.671	21.681	21.691	21.700	21.710	2170
2180	21.710	21.719	21.729	21.739	21.748	21.758	21.767	21.777	21.787	21.796	21.806	2180
2190	21.806	21.815	21.825	21.835	21.844	21.854	21.863	21.873	21.882	21.892	21.902	2190
2200	21.902	21.911	21.921	21.930	21.940	21.949	21.959	21.969	21.978	21.988	21.997	2200
2210	21.997	22.007	22.016	22.026	22.035	22.045	22.054	22.064	22.074	22.083	22.093	2210
2220	22.093	22.102	22.112	22.121	22.131	22.140	22.150	22.159	22.169	22.178	22.188	2220
2230	22.188	22.197	22.207	22.216	22.226	22.235	22.245	22.254	22.264	22.273	22.283	2230
2240	22.283	22.292	22.302	22.311	22.321	22.330	22.340	22.349	22.359	22.368	22.378	2240
2250	22.378	22.387	22.397	22.406	22.416	22.425	22.435	22.444	22.453	22.463	22.472	2250
2260	22.472	22.482	22.491	22.501	22.510	22.520	22.529	22.539	22.548	22.557	22.567	2260
2270	22.567	22.576	22.586	22.595	22.605	22.614	22.624	22.633	22.642	22.652	22.661	2270
2280	22.661	22.671	22.680	22.689	22.699	22.708	22.718	22.727	22.737	22.746	22.755	2280
2290	22.755	22.765	22.774	22.784	22.793	22.802	22.812	22.821	22.830	22.840	22.849	2290
2300	22.849	22.859	22.868	22.877	22.887	22.896	22.906	22.915	22.924	22.934	22.943	2300
2310	22.943	22.952	22.962	22.971	22.980	22.990	22.999	23.009	23.018	23.027	23.037	2310
2320	23.037	23.046	23.055	23.065	23.074	23.083	23.093	23.102	23.111	23.121	23.130	2320
2330	23.130	23.139	23.149	23.158	23.167	23.177	23.186	23.195	23.205	23.214	23.223	2330
2340	23.223	23.232	23.242	23.251	23.260	23.270	23.279	23.288	23.298	23.307	23.316	2340
2350	23.316	23.325	23.335	23.344	23.353	23.363	23.372	23.381	23.390	23.400	23.409	2350
2360	23.409	23.418	23.427	23.437	23.446	23.455	23.465	23.474	23.483	23.492	23.502	2360
2370	23.502	23.511	23.520	23.529	23.539	23.548	23.557	23.566	23.576	23.585	23.594	2370
2380	23.594	23.603	23.612	23.622	23.631	23.640	23.649	23.659	23.668	23.677	23.686	2380
2390	23.686	23.695	23.705	23.714	23.723	23.732	23.742	23.751	23.760	23.769	23.778	2390
2400	23.778	23.788	23.797	23.806	23.815	23.824	23.834	23.843	23.852	23.861	23.870	2400
2410	23.870	23.879	23.889	23.898	23.907	23.916	23.925	23.934	23.944	23.953	23.962	2410
2420	23.962	23.971	23.980	23.989	23.999	24.008	24.017	24.026	24.035	24.044	24.053	2420
2430	24.053	24.063	24.072	24.081	24.090	24.099	24.108	24.117	24.127	24.136	24.145	2430
2440	24.145	24.154	24.163	24.172	24.181	24.190	24.199	24.209	24.218	24.227	24.236	2440



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
2450	24.236	24.245	24.254	24.263	24.272	24.281	24.290	24.300	24.309	24.318	24.327	2450
2460	24.327	24.336	24.345	24.354	24.363	24.372	24.381	24.390	24.399	24.409	24.418	2460
2470	24.418	24.427	24.436	24.445	24.454	24.463	24.472	24.481	24.490	24.499	24.508	2470
2480	24.508	24.517	24.526	24.535	24.544	24.553	24.562	24.571	24.581	24.590	24.599	2480
2490	24.599	24.608	24.617	24.626	24.635	24.644	24.653	24.662	24.671	24.680	24.689	2490
2500	24.689	24.698	24.707	24.716	24.725	24.734	24.743	24.752	24.761	24.770	24.779	2500
2510	24.779	24.788	24.797	24.806	24.815	24.824	24.833	24.842	24.851	24.860	24.869	2510
2520	24.869	24.878	24.887	24.896	24.905	24.913	24.922	24.931	24.940	24.949	24.958	2520
2530	24.958	24.967	24.976	24.985	24.994	25.003	25.012	25.021	25.030	25.039	25.048	2530
2540	25.048	25.057	25.066	25.075	25.083	25.092	25.101	25.110	25.119	25.128	25.137	2540
2550	25.137	25.146	25.155	25.164	25.173	25.182	25.191	25.200	25.209	25.218	25.227	2550
2560	25.227	25.236	25.245	25.254	25.263	25.272	25.281	25.290	25.299	25.308	25.317	2560
2570	25.317	25.326	25.335	25.344	25.353	25.362	25.371	25.380	25.389	25.398	25.407	2570
2580	25.407	25.416	25.425	25.434	25.443	25.452	25.461	25.470	25.479	25.488	25.497	2580
2590	25.497	25.506	25.515	25.524	25.533	25.542	25.551	25.560	25.569	25.578	25.587	2590
2600	25.587	25.596	25.605	25.614	25.623	25.632	25.641	25.650	25.659	25.668	25.677	2600
2610	25.677	25.686	25.695	25.704	25.713	25.722	25.731	25.740	25.749	25.758	25.767	2610
2620	25.767	25.776	25.785	25.794	25.803	25.812	25.821	25.830	25.839	25.848	25.857	2620
2630	25.857	25.866	25.875	25.884	25.893	25.902	25.911	25.920	25.929	25.938	25.947	2630
2640	25.947	25.956	25.965	25.974	25.983	25.992	26.001	26.010	26.019	26.028	26.037	2640
2650	26.037	26.046	26.055	26.064	26.073	26.082	26.091	26.100	26.109	26.118	26.127	2650
2660	26.127	26.136	26.145	26.154	26.163	26.172	26.181	26.190	26.199	26.208	26.217	2660
2670	26.217	26.226	26.235	26.244	26.253	26.262	26.271	26.280	26.289	26.298	26.307	2670
2680	26.307	26.316	26.325	26.334	26.343	26.352	26.361	26.370	26.379	26.388	26.397	2680
2690	26.397	26.406	26.415	26.424	26.433	26.442	26.451	26.460	26.469	26.478	26.487	2690
2700	26.487	26.496	26.505	26.514	26.523	26.532	26.541	26.550	26.559	26.568	26.577	2700
2710	26.577	26.586	26.595	26.604	26.613	26.622	26.631	26.640	26.649	26.658	26.667	2710
2720	26.667	26.676	26.685	26.694	26.703	26.712	26.721	26.730	26.739	26.748	26.757	2720
2730	26.757	26.766	26.775	26.784	26.793	26.802	26.811	26.820	26.829	26.838	26.847	2730
2740	26.847	26.856	26.865	26.874	26.883	26.892	26.901	26.910	26.919	26.928	26.937	2740
2750	26.937	26.946	26.955	26.964	26.973	26.982	26.991	27.000	27.009	27.018	27.027	2750
2760	27.027	27.036	27.045	27.054	27.063	27.072	27.081	27.090	27.099	27.108	27.117	2760
2770	27.117	27.126	27.135	27.144	27.153	27.162	27.171	27.180	27.189	27.198	27.207	2770
2780	27.207	27.216	27.225	27.234	27.243	27.252	27.261	27.270	27.279	27.288	27.297	2780
2790	27.297	27.306	27.315	27.324	27.333	27.342	27.351	27.360	27.369	27.378	27.387	2790



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
2800	27.308	27.316	27.325	27.333	27.342	27.350	27.359	27.367	27.376	27.384	27.392	2800
2810	27.392	27.401	27.409	27.418	27.426	27.435	27.443	27.451	27.460	27.468	27.477	2810
2820	27.477	27.485	27.493	27.502	27.510	27.519	27.527	27.535	27.544	27.552	27.561	2820
2830	27.561	27.569	27.577	27.586	27.594	27.603	27.611	27.619	27.628	27.636	27.645	2830
2840	27.645	27.653	27.661	27.670	27.678	27.686	27.695	27.703	27.711	27.720	27.728	2840
2850	27.728	27.737	27.745	27.753	27.762	27.770	27.778	27.787	27.795	27.803	27.812	2850
2860	27.812	27.820	27.828	27.837	27.845	27.853	27.862	27.870	27.878	27.887	27.895	2860
2870	27.895	27.903	27.912	27.920	27.928	27.937	27.945	27.953	27.961	27.970	27.978	2870
2880	27.978	27.986	27.995	28.003	28.011	28.020	28.028	28.036	28.044	28.053	28.061	2880
2890	28.061	28.069	28.078	28.086	28.094	28.102	28.111	28.119	28.127	28.135	28.144	2890
2900	28.144	28.152	28.160	28.169	28.177	28.185	28.193	28.202	28.210	28.218	28.226	2900
2910	28.226	28.235	28.243	28.251	28.259	28.267	28.276	28.284	28.292	28.300	28.309	2910
2920	28.309	28.317	28.325	28.333	28.342	28.350	28.358	28.366	28.374	28.383	28.391	2920
2930	28.391	28.399	28.407	28.415	28.424	28.432	28.440	28.448	28.456	28.465	28.473	2930
2940	28.473	28.481	28.489	28.497	28.506	28.514	28.522	28.530	28.538	28.546	28.555	2940
2950	28.555	28.563	28.571	28.579	28.587	28.595	28.604	28.612	28.620	28.628	28.636	2950
2960	28.636	28.644	28.652	28.661	28.669	28.677	28.685	28.693	28.701	28.709	28.718	2960
2970	28.718	28.726	28.734	28.742	28.750	28.758	28.766	28.774	28.783	28.791	28.799	2970
2980	28.799	28.807	28.815	28.823	28.831	28.839	28.847	28.856	28.864	28.872	28.880	2980
2990	28.880	28.888	28.896	28.904	28.912	28.920	28.928	28.936	28.945	28.953	28.961	2990
3000	28.961	28.969	28.977	28.985	28.993	29.001	29.009	29.017	29.025	29.033	29.041	3000
3010	29.041	29.049	29.058	29.066	29.074	29.082	29.090	29.098	29.106	29.114	29.122	3010
3020	29.122	29.130	29.138	29.146	29.154	29.162	29.170	29.178	29.186	29.194	29.202	3020
3030	29.202	29.210	29.218	29.226	29.234	29.242	29.250	29.258	29.266	29.274	29.282	3030
3040	29.282	29.290	29.298	29.306	29.314	29.322	29.330	29.338	29.346	29.354	29.362	3040
3050	29.362	29.370	29.378	29.386	29.394	29.402	29.410	29.418	29.426	29.434	29.442	3050
3060	29.442	29.450	29.458	29.466	29.474	29.482	29.490	29.498	29.506	29.513	29.521	3060
3070	29.521	29.529	29.537	29.545	29.553	29.561	29.569	29.577	29.585	29.593	29.601	3070
3080	29.601	29.609	29.617	29.625	29.632	29.640	29.648	29.656	29.664	29.672	29.680	3080
3090	29.680	29.688	29.696	29.704	29.711	29.719	29.727	29.735	29.743	29.751	29.759	3090
3100	29.759	29.767	29.775	29.782	29.790	29.798	29.806	29.814	29.822	29.830	29.838	3100
3110	29.838	29.845	29.853	29.861	29.869	29.877	29.885	29.893	29.900	29.908	29.916	3110
3120	29.916	29.924	29.932	29.940	29.948	29.955	29.963	29.971	29.979	29.987	29.995	3120
3130	29.995	30.002	30.010	30.018	30.026	30.034	30.042	30.049	30.057	30.065	30.073	3130
3140	30.073	30.081	30.088	30.096	30.104	30.112	30.120	30.127	30.135	30.143	30.151	3140



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
3150	30.151	30.159	30.166	30.174	30.182	30.190	30.197	30.205	30.213	30.221	30.229	3150
3160	30.229	30.236	30.244	30.252	30.260	30.267	30.275	30.283	30.291	30.298	30.306	3160
3170	30.306	30.314	30.322	30.329	30.337	30.345	30.353	30.360	30.368	30.376	30.384	3170
3180	30.384	30.391	30.399	30.407	30.414	30.422	30.430	30.438	30.445	30.453	30.461	3180
3190	30.461	30.469	30.476	30.484	30.492	30.499	30.507	30.515	30.522	30.530	30.538	3190
3200	30.538	30.546	30.553	30.561	30.569	30.576	30.584	30.592	30.599	30.607	30.615	3200
3210	30.615	30.622	30.630	30.638	30.645	30.653	30.661	30.668	30.676	30.684	30.691	3210
3220	30.691	30.699	30.707	30.714	30.722	30.730	30.737	30.745	30.752	30.760	30.768	3220
3230	30.768	30.775	30.783	30.791	30.798	30.806	30.813	30.821	30.829	30.836	30.844	3230
3240	30.844	30.852	30.859	30.867	30.874	30.882	30.890	30.897	30.905	30.912	30.920	3240
3250	30.920	30.928	30.935	30.943	30.950	30.958	30.966	30.973	30.981	30.988	30.996	3250
3260	30.996	31.003	31.011	31.019	31.026	31.034	31.041	31.049	31.056	31.064	31.071	3260
3270	31.071	31.079	31.087	31.094	31.102	31.109	31.117	31.124	31.132	31.139	31.147	3270
3280	31.147	31.154	31.162	31.170	31.177	31.185	31.192	31.200	31.207	31.215	31.222	3280
3290	31.222	31.230	31.237	31.245	31.252	31.260	31.267	31.275	31.282	31.290	31.297	3290
3300	31.297	31.305	31.312	31.320	31.327	31.335	31.342	31.350	31.357	31.365	31.372	3300
3310	31.372	31.380	31.387	31.394	31.402	31.409	31.417	31.424	31.432	31.439	31.447	3310
3320	31.447	31.454	31.462	31.469	31.477	31.484	31.491	31.499	31.506	31.514	31.521	3320
3330	31.521	31.529	31.536	31.543	31.551	31.558	31.566	31.573	31.581	31.588	31.595	3330
3340	31.595	31.603	31.610	31.618	31.625	31.632	31.640	31.647	31.655	31.662	31.669	3340
3350	31.669	31.677	31.684	31.692	31.699	31.706	31.714	31.721	31.728	31.736	31.743	3350
3360	31.743	31.751	31.758	31.765	31.773	31.780	31.787	31.795	31.802	31.810	31.817	3360
3370	31.817	31.824	31.832	31.839	31.846	31.854	31.861	31.868	31.876	31.883	31.890	3370
3380	31.890	31.898	31.905	31.912	31.920	31.927	31.934	31.942	31.949	31.956	31.963	3380
3390	31.963	31.971	31.978	31.985	31.993	32.000	32.007	32.015	32.022	32.029	32.036	3390
3400	32.036	32.044	32.051	32.058	32.066	32.073	32.080	32.087	32.095	32.102	32.109	3400
3410	32.109	32.117	32.124	32.131	32.138	32.146	32.153	32.160	32.167	32.175	32.182	3410
3420	32.182	32.189	32.196	32.204	32.211	32.218	32.225	32.233	32.240	32.247	32.254	3420
3430	32.254	32.261	32.269	32.276	32.283	32.290	32.298	32.305	32.312	32.319	32.326	3430
3440	32.326	32.334	32.341	32.348	32.355	32.362	32.370	32.377	32.384	32.391	32.398	3440
3450	32.398	32.405	32.413	32.420	32.427	32.434	32.441	32.449	32.456	32.463	32.470	3450
3460	32.470	32.477	32.484	32.492	32.499	32.506	32.513	32.520	32.527	32.534	32.542	3460
3470	32.542	32.549	32.556	32.563	32.570	32.577	32.584	32.591	32.599	32.606	32.613	3470
3480	32.613	32.620	32.627	32.634	32.641	32.648	32.656	32.663	32.670	32.677	32.684	3480
3490	32.684	32.691	32.698	32.705	32.712	32.719	32.726	32.734	32.741	32.748	32.755	3490



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
3500	32.755	32.762	32.769	32.776	32.783	32.790	32.797	32.804	32.811	32.818	32.825	3500
3510	32.825	32.832	32.840	32.847	32.854	32.861	32.868	32.875	32.882	32.889	32.896	3510
3520	32.896	32.903	32.910	32.917	32.924	32.931	32.938	32.945	32.952	32.959	32.966	3520
3530	32.966	32.973	32.980	32.987	32.994	33.001	33.008	33.015	33.022	33.029	33.036	3530
3540	33.036	33.043	33.050	33.057	33.064	33.071	33.078	33.085	33.092	33.099	33.106	3540
3550	33.106	33.113	33.120	33.127	33.134	33.141	33.148	33.154	33.161	33.168	33.175	3550
3560	33.175	33.182	33.189	33.196	33.203	33.210	33.217	33.224	33.231	33.238	33.245	3560
3570	33.245	33.252	33.258	33.265	33.272	33.279	33.286	33.293	33.300	33.307	33.314	3570
3580	33.314	33.321	33.327	33.334	33.341	33.348	33.355	33.362	33.369	33.376	33.383	3580
3590	33.383	33.389	33.396	33.403	33.410	33.417	33.424	33.431	33.437	33.444	33.451	3590
3600	33.451	33.458	33.465	33.472	33.479	33.485	33.492	33.499	33.506	33.513	33.520	3600
3610	33.520	33.526	33.533	33.540	33.547	33.554	33.560	33.567	33.574	33.581	33.588	3610
3620	33.588	33.594	33.601	33.608	33.615	33.622	33.628	33.635	33.642	33.649	33.656	3620
3630	33.656	33.662	33.669	33.676	33.683	33.689	33.696	33.703	33.710	33.716	33.723	3630
3640	33.723	33.730	33.737	33.743	33.750	33.757	33.764	33.770	33.777	33.784	33.791	3640
3650	33.791	33.797	33.804	33.811	33.818	33.824	33.831	33.838	33.844	33.851	33.858	3650
3660	33.858	33.865	33.871	33.878	33.885	33.891	33.898	33.905	33.911	33.918	33.925	3660
3670	33.925	33.931	33.938	33.945	33.952	33.958	33.965	33.972	33.978	33.985	33.992	3670
3680	33.992	33.998	34.005	34.011	34.018	34.025	34.031	34.038	34.045	34.051	34.058	3680
3690	34.058	34.065	34.071	34.078	34.085	34.091	34.098	34.104	34.111	34.118	34.124	3690
3700	34.124	34.131	34.137	34.144	34.151	34.157	34.164	34.170	34.177	34.184	34.190	3700
3710	34.190	34.197	34.203	34.210	34.217	34.223	34.230	34.236	34.243	34.249	34.256	3710
3720	34.256	34.262	34.269	34.276	34.282	34.289	34.295	34.302	34.308	34.315	34.321	3720
3730	34.321	34.328	34.334	34.341	34.347	34.354	34.361	34.367	34.374	34.380	34.387	3730
3740	34.387	34.393	34.400	34.406	34.413	34.419	34.426	34.432	34.439	34.445	34.452	3740
3750	34.452	34.458	34.465	34.471	34.477	34.484	34.490	34.497	34.503	34.510	34.516	3750
3760	34.516	34.523	34.529	34.536	34.542	34.549	34.555	34.561	34.568	34.574	34.581	3760
3770	34.581	34.587	34.594	34.600	34.606	34.613	34.619	34.626	34.632	34.638	34.645	3770
3780	34.645	34.651	34.658	34.664	34.670	34.677	34.683	34.690	34.696	34.702	34.709	3780
3790	34.709	34.715	34.722	34.728	34.734	34.741	34.747	34.753	34.760	34.766	34.772	3790
3800	34.772	34.779	34.785	34.792	34.798	34.804	34.811	34.817	34.823	34.830	34.836	3800
3810	34.836	34.842	34.849	34.855	34.861	34.867	34.874	34.880	34.886	34.893	34.899	3810
3820	34.899	34.905	34.912	34.918	34.924	34.930	34.937	34.943	34.949	34.956	34.962	3820
3830	34.962	34.968	34.974	34.981	34.987	34.993	34.999	35.006	35.012	35.018	35.024	3830
3840	35.024	35.031	35.037	35.043	35.049	35.056	35.062	35.068	35.074	35.081	35.087	3840



Type C Thermocouple Reference Tables (Fahrenheit)

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
3850	35.087	35.093	35.099	35.105	35.112	35.118	35.124	35.130	35.136	35.143	35.149	3850
3860	35.149	35.155	35.161	35.167	35.173	35.180	35.186	35.192	35.198	35.204	35.211	3860
3870	35.211	35.217	35.223	35.229	35.235	35.241	35.247	35.254	35.260	35.266	35.272	3870
3880	35.272	35.278	35.284	35.290	35.296	35.303	35.309	35.315	35.321	35.327	35.333	3880
3890	35.333	35.339	35.345	35.351	35.358	35.364	35.370	35.376	35.382	35.388	35.394	3890
3900	35.394	35.400	35.406	35.412	35.418	35.424	35.430	35.437	35.443	35.449	35.455	3900
3910	35.455	35.461	35.467	35.473	35.479	35.485	35.491	35.497	35.503	35.509	35.515	3910
3920	35.515	35.521	35.527	35.533	35.539	35.545	35.551	35.557	35.563	35.569	35.575	3920
3930	35.575	35.581	35.587	35.593	35.599	35.605	35.611	35.617	35.623	35.629	35.635	3930
3940	35.635	35.641	35.647	35.653	35.659	35.664	35.670	35.676	35.682	35.688	35.694	3940
3950	35.694	35.700	35.706	35.712	35.718	35.724	35.730	35.736	35.741	35.747	35.753	3950
3960	35.753	35.759	35.765	35.771	35.777	35.783	35.789	35.795	35.800	35.806	35.812	3960
3970	35.812	35.818	35.824	35.830	35.836	35.841	35.847	35.853	35.859	35.865	35.871	3970
3980	35.871	35.876	35.882	35.888	35.894	35.900	35.906	35.911	35.917	35.923	35.929	3980
3990	35.929	35.935	35.940	35.946	35.952	35.958	35.964	35.969	35.975	35.981	35.987	3990
4000	35.987	35.993	35.998	36.004	36.010	36.016	36.021	36.027	36.033	36.039	36.044	4000
4010	36.044	36.050	36.056	36.062	36.067	36.073	36.079	36.084	36.090	36.096	36.102	4010
4020	36.102	36.107	36.113	36.119	36.124	36.130	36.136	36.142	36.147	36.153	36.159	4020
4030	36.159	36.164	36.170	36.176	36.181	36.187	36.193	36.198	36.204	36.210	36.215	4030
4040	36.215	36.221	36.226	36.232	36.238	36.243	36.249	36.255	36.260	36.266	36.271	4040
4050	36.271	36.277	36.283	36.288	36.294	36.300	36.305	36.311	36.316	36.322	36.327	4050
4060	36.327	36.333	36.339	36.344	36.350	36.355	36.361	36.366	36.372	36.378	36.383	4060
4070	36.383	36.389	36.394	36.400	36.405	36.411	36.416	36.422	36.427	36.433	36.438	4070
4080	36.438	36.444	36.449	36.455	36.460	36.466	36.471	36.477	36.482	36.488	36.493	4080
4090	36.493	36.499	36.504	36.510	36.515	36.521	36.526	36.532	36.537	36.543	36.548	4090
4100	36.548	36.553	36.559	36.564	36.570	36.575	36.581	36.586	36.591	36.597	36.602	4100
4110	36.602	36.608	36.613	36.619	36.624	36.629	36.635	36.640	36.645	36.651	36.656	4110
4120	36.656	36.662	36.667	36.672	36.678	36.683	36.688	36.694	36.699	36.704	36.710	4120
4130	36.710	36.715	36.721	36.726	36.731	36.737	36.742	36.747	36.752	36.758	36.763	4130
4140	36.763	36.768	36.774	36.779	36.784	36.790	36.795	36.800	36.805	36.811	36.816	4140
4150	36.816	36.821	36.826	36.832	36.837	36.842	36.848	36.853	36.858	36.863	36.868	4150
4160	36.868	36.874	36.879	36.884	36.889	36.895	36.900	36.905	36.910	36.915	36.921	4160
4170	36.921	36.926	36.931	36.936	36.941	36.947	36.952	36.957	36.962	36.967	36.972	4170
4180	36.972	36.978	36.983	36.988	36.993	36.998	37.003	37.008	37.014	37.019	37.024	4180
4190	37.024	37.029	37.034	37.039	37.044	37.049	37.055	37.060	37.065	37.070	37.075	4190



Type C Thermocouple Reference Tables (Fahrenheit)

		<u>Thermoelectric Voltage in Millivolts</u>											
°F	0	1	2	3	4	5	6	7	8	9	10	°F	
4200	37.075											4200	

Reference ASTM E988.

Temperature in Degrees °F, reference junction at 32°F.

"W5" Conax Designation, not ANSI/ASTM