



## Type C Thermocouple Reference Tables (Celsius)

### Thermoelectric Voltage in Millivolts

°C	0	1	2	3	4	5	6	7	8	9	10	°C
0	0.000	0.013	0.027	0.040	0.054	0.067	0.081	0.094	0.108	0.122	0.135	0
10	0.135	0.149	0.163	0.176	0.190	0.204	0.218	0.231	0.245	0.259	0.273	10
20	0.273	0.287	0.301	0.315	0.329	0.342	0.356	0.370	0.385	0.399	0.413	20
30	0.413	0.427	0.441	0.455	0.469	0.483	0.498	0.512	0.526	0.540	0.555	30
40	0.555	0.569	0.583	0.598	0.612	0.627	0.641	0.656	0.670	0.685	0.699	40
50	0.699	0.714	0.728	0.743	0.757	0.772	0.787	0.801	0.816	0.831	0.846	50
60	0.846	0.860	0.875	0.890	0.905	0.920	0.934	0.949	0.964	0.979	0.994	60
70	0.994	1.009	1.024	1.039	1.054	1.069	1.084	1.099	1.114	1.129	1.145	70
80	1.145	1.160	1.175	1.190	1.205	1.221	1.236	1.251	1.266	1.282	1.297	80
90	1.297	1.312	1.328	1.343	1.359	1.374	1.389	1.405	1.420	1.436	1.451	90
100	1.451	1.467	1.483	1.498	1.514	1.529	1.545	1.561	1.576	1.592	1.608	100
110	1.608	1.624	1.639	1.655	1.671	1.687	1.702	1.718	1.734	1.750	1.766	110
120	1.766	1.782	1.798	1.814	1.830	1.846	1.862	1.878	1.894	1.910	1.926	120
130	1.926	1.942	1.958	1.974	1.990	2.006	2.023	2.039	2.055	2.071	2.087	130
140	2.087	2.104	2.120	2.136	2.152	2.169	2.185	2.201	2.218	2.234	2.251	140
150	2.251	2.267	2.283	2.300	2.316	2.333	2.349	2.366	2.382	2.399	2.415	150
160	2.415	2.432	2.449	2.465	2.482	2.498	2.515	2.532	2.548	2.565	2.582	160
170	2.582	2.599	2.615	2.632	2.649	2.666	2.682	2.699	2.716	2.733	2.750	170
180	2.750	2.767	2.784	2.800	2.817	2.834	2.851	2.868	2.885	2.902	2.919	180
190	2.919	2.936	2.953	2.970	2.987	3.004	3.021	3.039	3.056	3.073	3.090	190
200	3.090	3.107	3.124	3.141	3.159	3.176	3.193	3.210	3.228	3.245	3.262	200
210	3.262	3.279	3.297	3.314	3.331	3.349	3.366	3.383	3.401	3.418	3.436	210
220	3.436	3.453	3.470	3.488	3.505	3.523	3.540	3.558	3.575	3.593	3.610	220
230	3.610	3.628	3.645	3.663	3.680	3.698	3.716	3.733	3.751	3.768	3.786	230
240	3.786	3.804	3.821	3.839	3.857	3.875	3.892	3.910	3.928	3.945	3.963	240
250	3.963	3.981	3.999	4.017	4.034	4.052	4.070	4.088	4.106	4.124	4.141	250
260	4.141	4.159	4.177	4.195	4.213	4.231	4.249	4.267	4.285	4.303	4.321	260
270	4.321	4.339	4.357	4.375	4.393	4.411	4.429	4.447	4.465	4.483	4.501	270
280	4.501	4.519	4.537	4.555	4.573	4.592	4.610	4.628	4.646	4.664	4.682	280
290	4.682	4.701	4.719	4.737	4.755	4.773	4.792	4.810	4.828	4.846	4.865	290
300	4.865	4.883	4.901	4.920	4.938	4.956	4.974	4.993	5.011	5.030	5.048	300
310	5.048	5.066	5.085	5.103	5.121	5.140	5.158	5.177	5.195	5.214	5.232	310
320	5.232	5.250	5.269	5.287	5.306	5.324	5.343	5.361	5.380	5.398	5.417	320
330	5.417	5.435	5.454	5.473	5.491	5.510	5.528	5.547	5.565	5.584	5.603	330
340	5.603	5.621	5.640	5.658	5.677	5.696	5.714	5.733	5.752	5.770	5.789	340



## Type C Thermocouple Reference Tables (Celsius)

### Thermoelectric Voltage in Millivolts

°C	0	1	2	3	4	5	6	7	8	9	10	°C
<b>350</b>	5.789	5.808	5.827	5.845	5.864	5.883	5.901	5.920	5.939	5.958	5.976	<b>350</b>
<b>360</b>	5.976	5.995	6.014	6.033	6.051	6.070	6.089	6.108	6.127	6.145	6.164	<b>360</b>
<b>370</b>	6.164	6.183	6.202	6.221	6.240	6.259	6.277	6.296	6.315	6.334	6.353	<b>370</b>
<b>380</b>	6.353	6.372	6.391	6.410	6.429	6.447	6.466	6.485	6.504	6.523	6.542	<b>380</b>
<b>390</b>	6.542	6.561	6.580	6.599	6.618	6.637	6.656	6.675	6.694	6.713	6.732	<b>390</b>
<b>400</b>	6.732	6.751	6.770	6.789	6.808	6.827	6.846	6.865	6.884	6.903	6.922	<b>400</b>
<b>410</b>	6.922	6.941	6.961	6.980	6.999	7.018	7.037	7.056	7.075	7.094	7.113	<b>410</b>
<b>420</b>	7.113	7.132	7.152	7.171	7.190	7.209	7.228	7.247	7.267	7.286	7.305	<b>420</b>
<b>430</b>	7.305	7.324	7.343	7.362	7.382	7.401	7.420	7.439	7.458	7.478	7.497	<b>430</b>
<b>440</b>	7.497	7.516	7.535	7.554	7.574	7.593	7.612	7.631	7.651	7.670	7.689	<b>440</b>
<b>450</b>	7.689	7.708	7.728	7.747	7.766	7.786	7.805	7.824	7.843	7.863	7.882	<b>450</b>
<b>460</b>	7.882	7.901	7.921	7.940	7.959	7.979	7.998	8.017	8.037	8.056	8.075	<b>460</b>
<b>470</b>	8.075	8.095	8.114	8.133	8.153	8.172	8.191	8.211	8.230	8.249	8.269	<b>470</b>
<b>480</b>	8.269	8.288	8.308	8.327	8.346	8.366	8.385	8.404	8.424	8.443	8.463	<b>480</b>
<b>490</b>	8.463	8.482	8.502	8.521	8.540	8.560	8.579	8.599	8.618	8.637	8.657	<b>490</b>
<b>500</b>	8.657	8.676	8.696	8.715	8.735	8.754	8.774	8.793	8.812	8.832	8.851	<b>500</b>
<b>510</b>	8.851	8.871	8.890	8.910	8.929	8.949	8.968	8.988	9.007	9.027	9.046	<b>510</b>
<b>520</b>	9.046	9.066	9.085	9.105	9.124	9.144	9.163	9.183	9.202	9.222	9.241	<b>520</b>
<b>530</b>	9.241	9.261	9.280	9.300	9.319	9.339	9.358	9.378	9.397	9.417	9.436	<b>530</b>
<b>540</b>	9.436	9.456	9.475	9.495	9.514	9.534	9.553	9.573	9.592	9.612	9.631	<b>540</b>
<b>550</b>	9.631	9.651	9.670	9.690	9.710	9.729	9.749	9.768	9.788	9.807	9.827	<b>550</b>
<b>560</b>	9.827	9.846	9.866	9.885	9.905	9.925	9.944	9.964	9.983	10.003	10.022	<b>560</b>
<b>570</b>	10.022	10.042	10.061	10.081	10.100	10.120	10.140	10.159	10.179	10.198	10.218	<b>570</b>
<b>580</b>	10.218	10.237	10.257	10.276	10.296	10.316	10.335	10.355	10.374	10.394	10.413	<b>580</b>
<b>590</b>	10.413	10.433	10.452	10.472	10.491	10.511	10.531	10.550	10.570	10.589	10.609	<b>590</b>
<b>600</b>	10.609	10.628	10.648	10.667	10.687	10.706	10.726	10.746	10.765	10.785	10.804	<b>600</b>
<b>610</b>	10.804	10.824	10.843	10.863	10.882	10.902	10.921	10.941	10.960	10.980	10.999	<b>610</b>
<b>620</b>	10.999	11.019	11.038	11.058	11.077	11.097	11.117	11.136	11.156	11.175	11.195	<b>620</b>
<b>630</b>	11.195	11.214	11.234	11.253	11.273	11.292	11.312	11.331	11.351	11.370	11.390	<b>630</b>
<b>640</b>	11.390	11.409	11.429	11.448	11.468	11.487	11.507	11.526	11.546	11.565	11.585	<b>640</b>
<b>650</b>	11.585	11.604	11.624	11.643	11.663	11.682	11.702	11.721	11.741	11.760	11.780	<b>650</b>
<b>660</b>	11.780	11.799	11.818	11.838	11.857	11.877	11.896	11.916	11.935	11.955	11.974	<b>660</b>
<b>670</b>	11.974	11.994	12.013	12.033	12.052	12.072	12.091	12.111	12.130	12.150	12.169	<b>670</b>
<b>680</b>	12.169	12.189	12.208	12.228	12.247	12.267	12.286	12.306	12.325	12.344	12.364	<b>680</b>
<b>690</b>	12.364	12.383	12.403	12.422	12.442	12.461	12.481	12.500	12.520	12.539	12.559	<b>690</b>



## Type C Thermocouple Reference Tables (Celsius)

### Thermoelectric Voltage in Millivolts

°C	0	1	2	3	4	5	6	7	8	9	10	°C
<b>700</b>	12.559	12.578	12.597	12.617	12.636	12.656	12.675	12.695	12.714	12.734	12.753	<b>700</b>
<b>710</b>	12.753	12.772	12.792	12.811	12.831	12.850	12.870	12.889	12.908	12.928	12.947	<b>710</b>
<b>720</b>	12.947	12.967	12.986	13.006	13.025	13.044	13.064	13.083	13.103	13.122	13.141	<b>720</b>
<b>730</b>	13.141	13.161	13.180	13.200	13.219	13.238	13.258	13.277	13.297	13.316	13.335	<b>730</b>
<b>740</b>	13.335	13.355	13.374	13.393	13.413	13.432	13.452	13.471	13.490	13.510	13.529	<b>740</b>
<b>750</b>	13.529	13.548	13.568	13.587	13.606	13.626	13.645	13.665	13.684	13.703	13.723	<b>750</b>
<b>760</b>	13.723	13.742	13.761	13.781	13.800	13.819	13.839	13.858	13.877	13.896	13.916	<b>760</b>
<b>770</b>	13.916	13.935	13.954	13.974	13.993	14.012	14.032	14.051	14.070	14.089	14.109	<b>770</b>
<b>780</b>	14.109	14.128	14.147	14.167	14.186	14.205	14.224	14.244	14.263	14.282	14.301	<b>780</b>
<b>790</b>	14.301	14.321	14.340	14.359	14.378	14.398	14.417	14.436	14.455	14.475	14.494	<b>790</b>
<b>800</b>	14.494	14.513	14.532	14.551	14.571	14.590	14.609	14.628	14.647	14.667	14.686	<b>800</b>
<b>810</b>	14.686	14.705	14.724	14.743	14.763	14.782	14.801	14.820	14.839	14.858	14.878	<b>810</b>
<b>820</b>	14.878	14.897	14.916	14.935	14.954	14.973	14.993	15.012	15.031	15.050	15.069	<b>820</b>
<b>830</b>	15.069	15.088	15.107	15.126	15.146	15.165	15.184	15.203	15.222	15.241	15.260	<b>830</b>
<b>840</b>	15.260	15.279	15.298	15.317	15.336	15.356	15.375	15.394	15.413	15.432	15.451	<b>840</b>
<b>850</b>	15.451	15.470	15.489	15.508	15.527	15.546	15.565	15.584	15.603	15.622	15.641	<b>850</b>
<b>860</b>	15.641	15.660	15.679	15.698	15.717	15.736	15.755	15.774	15.793	15.812	15.831	<b>860</b>
<b>870</b>	15.831	15.850	15.869	15.888	15.907	15.926	15.945	15.964	15.983	16.002	16.021	<b>870</b>
<b>880</b>	16.021	16.040	16.058	16.077	16.096	16.115	16.134	16.153	16.172	16.191	16.210	<b>880</b>
<b>890</b>	16.210	16.229	16.248	16.266	16.285	16.304	16.323	16.342	16.361	16.380	16.398	<b>890</b>
<b>900</b>	16.398	16.417	16.436	16.455	16.474	16.493	16.511	16.530	16.549	16.568	16.587	<b>900</b>
<b>910</b>	16.587	16.606	16.624	16.643	16.662	16.681	16.699	16.718	16.737	16.756	16.775	<b>910</b>
<b>920</b>	16.775	16.793	16.812	16.831	16.850	16.868	16.887	16.906	16.924	16.943	16.962	<b>920</b>
<b>930</b>	16.962	16.981	16.999	17.018	17.037	17.055	17.074	17.093	17.111	17.130	17.149	<b>930</b>
<b>940</b>	17.149	17.167	17.186	17.205	17.223	17.242	17.261	17.279	17.298	17.317	17.335	<b>940</b>
<b>950</b>	17.335	17.354	17.373	17.391	17.410	17.428	17.447	17.465	17.484	17.503	17.521	<b>950</b>
<b>960</b>	17.521	17.540	17.558	17.577	17.595	17.614	17.633	17.651	17.670	17.688	17.707	<b>960</b>
<b>970</b>	17.707	17.725	17.744	17.762	17.781	17.799	17.818	17.836	17.855	17.873	17.892	<b>970</b>
<b>980</b>	17.892	17.910	17.929	17.947	17.966	17.984	18.002	18.021	18.039	18.058	18.076	<b>980</b>
<b>990</b>	18.076	18.095	18.113	18.131	18.150	18.168	18.187	18.205	18.223	18.242	18.260	<b>990</b>
<b>1000</b>	18.260	18.279	18.297	18.315	18.334	18.352	18.370	18.389	18.407	18.425	18.444	<b>1000</b>
<b>1010</b>	18.444	18.462	18.480	18.499	18.517	18.535	18.553	18.572	18.590	18.608	18.627	<b>1010</b>
<b>1020</b>	18.627	18.645	18.663	18.681	18.700	18.718	18.736	18.754	18.773	18.791	18.809	<b>1020</b>
<b>1030</b>	18.809	18.827	18.845	18.864	18.882	18.900	18.918	18.936	18.955	18.973	18.991	<b>1030</b>
<b>1040</b>	18.991	19.009	19.027	19.045	19.064	19.082	19.100	19.118	19.136	19.154	19.172	<b>1040</b>



## Type C Thermocouple Reference Tables (Celsius)

### Thermoelectric Voltage in Millivolts

°C	0	1	2	3	4	5	6	7	8	9	10	°C
<b>1050</b>	19.172	19.190	19.208	19.227	19.245	19.263	19.281	19.299	19.317	19.335	19.353	<b>1050</b>
<b>1060</b>	19.353	19.371	19.389	19.407	19.425	19.443	19.461	19.479	19.497	19.515	19.533	<b>1060</b>
<b>1070</b>	19.533	19.551	19.569	19.587	19.605	19.623	19.641	19.659	19.677	19.695	19.713	<b>1070</b>
<b>1080</b>	19.713	19.731	19.749	19.767	19.785	19.803	19.821	19.839	19.856	19.874	19.892	<b>1080</b>
<b>1090</b>	19.892	19.910	19.928	19.946	19.964	19.982	19.999	20.017	20.035	20.053	20.071	<b>1090</b>
<b>1100</b>	20.071	20.089	20.106	20.124	20.142	20.160	20.178	20.195	20.213	20.231	20.249	<b>1100</b>
<b>1110</b>	20.249	20.267	20.284	20.302	20.320	20.338	20.355	20.373	20.391	20.409	20.426	<b>1110</b>
<b>1120</b>	20.426	20.444	20.462	20.479	20.497	20.515	20.532	20.550	20.568	20.585	20.603	<b>1120</b>
<b>1130</b>	20.603	20.621	20.638	20.656	20.674	20.691	20.709	20.727	20.744	20.762	20.779	<b>1130</b>
<b>1140</b>	20.779	20.797	20.815	20.832	20.850	20.867	20.885	20.902	20.920	20.938	20.955	<b>1140</b>
<b>1150</b>	20.955	20.973	20.990	21.008	21.025	21.043	21.060	21.078	21.095	21.113	21.130	<b>1150</b>
<b>1160</b>	21.130	21.148	21.165	21.183	21.200	21.218	21.235	21.253	21.270	21.287	21.305	<b>1160</b>
<b>1170</b>	21.305	21.322	21.340	21.357	21.375	21.392	21.409	21.427	21.444	21.461	21.479	<b>1170</b>
<b>1180</b>	21.479	21.496	21.514	21.531	21.548	21.566	21.583	21.600	21.618	21.635	21.652	<b>1180</b>
<b>1190</b>	21.652	21.670	21.687	21.704	21.721	21.739	21.756	21.773	21.790	21.808	21.825	<b>1190</b>
<b>1200</b>	21.825	21.842	21.859	21.877	21.894	21.911	21.928	21.946	21.963	21.980	21.997	<b>1200</b>
<b>1210</b>	21.997	22.014	22.032	22.049	22.066	22.083	22.100	22.117	22.135	22.152	22.169	<b>1210</b>
<b>1220</b>	22.169	22.186	22.203	22.220	22.237	22.254	22.271	22.289	22.306	22.323	22.340	<b>1220</b>
<b>1230</b>	22.340	22.357	22.374	22.391	22.408	22.425	22.442	22.459	22.476	22.493	22.510	<b>1230</b>
<b>1240</b>	22.510	22.527	22.544	22.561	22.578	22.595	22.612	22.629	22.646	22.663	22.680	<b>1240</b>
<b>1250</b>	22.680	22.697	22.714	22.731	22.748	22.765	22.782	22.799	22.815	22.832	22.849	<b>1250</b>
<b>1260</b>	22.849	22.866	22.883	22.900	22.917	22.934	22.950	22.967	22.984	23.001	23.018	<b>1260</b>
<b>1270</b>	23.018	23.035	23.052	23.068	23.085	23.102	23.119	23.136	23.152	23.169	23.186	<b>1270</b>
<b>1280</b>	23.186	23.203	23.219	23.236	23.253	23.270	23.286	23.303	23.320	23.337	23.353	<b>1280</b>
<b>1290</b>	23.353	23.370	23.387	23.403	23.420	23.437	23.453	23.470	23.487	23.503	23.520	<b>1290</b>
<b>1300</b>	23.520	23.537	23.553	23.570	23.587	23.603	23.620	23.636	23.653	23.670	23.686	<b>1300</b>
<b>1310</b>	23.686	23.703	23.719	23.736	23.753	23.769	23.786	23.802	23.819	23.835	23.852	<b>1310</b>
<b>1320</b>	23.852	23.868	23.885	23.901	23.918	23.934	23.951	23.967	23.984	24.000	24.017	<b>1320</b>
<b>1330</b>	24.017	24.033	24.050	24.066	24.083	24.099	24.116	24.132	24.148	24.165	24.181	<b>1330</b>
<b>1340</b>	24.181	24.198	24.214	24.230	24.247	24.263	24.280	24.296	24.312	24.329	24.345	<b>1340</b>
<b>1350</b>	24.345	24.361	24.378	24.394	24.410	24.427	24.443	24.459	24.476	24.492	24.508	<b>1350</b>
<b>1360</b>	24.508	24.524	24.541	24.557	24.573	24.590	24.606	24.622	24.638	24.655	24.671	<b>1360</b>
<b>1370</b>	24.671	24.687	24.703	24.719	24.736	24.752	24.768	24.784	24.800	24.817	24.833	<b>1370</b>
<b>1380</b>	24.833	24.849	24.865	24.881	24.897	24.913	24.930	24.946	24.962	24.978	24.994	<b>1380</b>
<b>1390</b>	24.994	25.010	25.026	25.042	25.058	25.075	25.091	25.107	25.123	25.139	25.155	<b>1390</b>



## Type C Thermocouple Reference Tables (Celsius)

### Thermoelectric Voltage in Millivolts

°C	0	1	2	3	4	5	6	7	8	9	10	°C
<b>1400</b>	25.155	25.171	25.187	25.203	25.219	25.235	25.251	25.267	25.283	25.299	25.315	<b>1400</b>
<b>1410</b>	25.315	25.331	25.347	25.363	25.379	25.395	25.411	25.427	25.443	25.459	25.475	<b>1410</b>
<b>1420</b>	25.475	25.490	25.506	25.522	25.538	25.554	25.570	25.586	25.602	25.618	25.633	<b>1420</b>
<b>1430</b>	25.633	25.649	25.665	25.681	25.697	25.713	25.729	25.744	25.760	25.776	25.792	<b>1430</b>
<b>1440</b>	25.792	25.808	25.823	25.839	25.855	25.871	25.886	25.902	25.918	25.934	25.949	<b>1440</b>
<b>1450</b>	25.949	25.965	25.981	25.997	26.012	26.028	26.044	26.060	26.075	26.091	26.107	<b>1450</b>
<b>1460</b>	26.107	26.122	26.138	26.154	26.169	26.185	26.201	26.216	26.232	26.248	26.263	<b>1460</b>
<b>1470</b>	26.263	26.279	26.294	26.310	26.326	26.341	26.357	26.372	26.388	26.403	26.419	<b>1470</b>
<b>1480</b>	26.419	26.435	26.450	26.466	26.481	26.497	26.512	26.528	26.543	26.559	26.574	<b>1480</b>
<b>1490</b>	26.574	26.590	26.605	26.621	26.636	26.652	26.667	26.683	26.698	26.714	26.729	<b>1490</b>
<b>1500</b>	26.729	26.744	26.760	26.775	26.791	26.806	26.822	26.837	26.852	26.868	26.883	<b>1500</b>
<b>1510</b>	26.883	26.899	26.914	26.929	26.945	26.960	26.975	26.991	27.006	27.021	27.037	<b>1510</b>
<b>1520</b>	27.037	27.052	27.067	27.083	27.098	27.113	27.128	27.144	27.159	27.174	27.190	<b>1520</b>
<b>1530</b>	27.190	27.205	27.220	27.235	27.250	27.266	27.281	27.296	27.311	27.327	27.342	<b>1530</b>
<b>1540</b>	27.342	27.357	27.372	27.387	27.403	27.418	27.433	27.448	27.463	27.478	27.493	<b>1540</b>
<b>1550</b>	27.493	27.509	27.524	27.539	27.554	27.569	27.584	27.599	27.614	27.629	27.645	<b>1550</b>
<b>1560</b>	27.645	27.660	27.675	27.690	27.705	27.720	27.735	27.750	27.765	27.780	27.795	<b>1560</b>
<b>1570</b>	27.795	27.810	27.825	27.840	27.855	27.870	27.885	27.900	27.915	27.930	27.945	<b>1570</b>
<b>1580</b>	27.945	27.960	27.975	27.990	28.005	28.020	28.034	28.049	28.064	28.079	28.094	<b>1580</b>
<b>1590</b>	28.094	28.109	28.124	28.139	28.154	28.169	28.183	28.198	28.213	28.228	28.243	<b>1590</b>
<b>1600</b>	28.243	28.258	28.272	28.287	28.302	28.317	28.332	28.346	28.361	28.376	28.391	<b>1600</b>
<b>1610</b>	28.391	28.406	28.420	28.435	28.450	28.465	28.479	28.494	28.509	28.524	28.538	<b>1610</b>
<b>1620</b>	28.538	28.553	28.568	28.582	28.597	28.612	28.626	28.641	28.656	28.670	28.685	<b>1620</b>
<b>1630</b>	28.685	28.700	28.714	28.729	28.744	28.758	28.773	28.787	28.802	28.817	28.831	<b>1630</b>
<b>1640</b>	28.831	28.846	28.860	28.875	28.890	28.904	28.919	28.933	28.948	28.962	28.977	<b>1640</b>
<b>1650</b>	28.977	28.991	29.006	29.020	29.035	29.049	29.064	29.078	29.093	29.107	29.122	<b>1650</b>
<b>1660</b>	29.122	29.136	29.151	29.165	29.180	29.194	29.209	29.223	29.237	29.252	29.266	<b>1660</b>
<b>1670</b>	29.266	29.281	29.295	29.309	29.324	29.338	29.353	29.367	29.381	29.396	29.410	<b>1670</b>
<b>1680</b>	29.410	29.424	29.439	29.453	29.467	29.482	29.496	29.510	29.525	29.539	29.553	<b>1680</b>
<b>1690</b>	29.553	29.567	29.582	29.596	29.610	29.625	29.639	29.653	29.667	29.681	29.696	<b>1690</b>
<b>1700</b>	29.696	29.710	29.724	29.738	29.753	29.767	29.781	29.795	29.809	29.823	29.838	<b>1700</b>
<b>1710</b>	29.838	29.852	29.866	29.880	29.894	29.908	29.922	29.937	29.951	29.965	29.979	<b>1710</b>
<b>1720</b>	29.979	29.993	30.007	30.021	30.035	30.049	30.063	30.077	30.091	30.106	30.120	<b>1720</b>
<b>1730</b>	30.120	30.134	30.148	30.162	30.176	30.190	30.204	30.218	30.232	30.246	30.260	<b>1730</b>
<b>1740</b>	30.260	30.274	30.288	30.302	30.315	30.329	30.343	30.357	30.371	30.385	30.399	<b>1740</b>



## Type C Thermocouple Reference Tables (Celsius)

### Thermoelectric Voltage in Millivolts

°C	0	1	2	3	4	5	6	7	8	9	10	°C
<b>1750</b>	30.399	30.413	30.427	30.441	30.455	30.469	30.482	30.496	30.510	30.524	30.538	<b>1750</b>
<b>1760</b>	30.538	30.552	30.565	30.579	30.593	30.607	30.621	30.635	30.648	30.662	30.676	<b>1760</b>
<b>1770</b>	30.676	30.690	30.704	30.717	30.731	30.745	30.759	30.772	30.786	30.800	30.813	<b>1770</b>
<b>1780</b>	30.813	30.827	30.841	30.855	30.868	30.882	30.896	30.909	30.923	30.937	30.950	<b>1780</b>
<b>1790</b>	30.950	30.964	30.978	30.991	31.005	31.019	31.032	31.046	31.059	31.073	31.087	<b>1790</b>
<b>1800</b>	31.087	31.100	31.114	31.127	31.141	31.154	31.168	31.182	31.195	31.209	31.222	<b>1800</b>
<b>1810</b>	31.222	31.236	31.249	31.263	31.276	31.290	31.303	31.317	31.330	31.344	31.357	<b>1810</b>
<b>1820</b>	31.357	31.371	31.384	31.397	31.411	31.424	31.438	31.451	31.465	31.478	31.491	<b>1820</b>
<b>1830</b>	31.491	31.505	31.518	31.532	31.545	31.558	31.572	31.585	31.598	31.612	31.625	<b>1830</b>
<b>1840</b>	31.625	31.638	31.652	31.665	31.678	31.692	31.705	31.718	31.731	31.745	31.758	<b>1840</b>
<b>1850</b>	31.758	31.771	31.784	31.798	31.811	31.824	31.837	31.851	31.864	31.877	31.890	<b>1850</b>
<b>1860</b>	31.890	31.903	31.917	31.930	31.943	31.956	31.969	31.982	31.996	32.009	32.022	<b>1860</b>
<b>1870</b>	32.022	32.035	32.048	32.061	32.074	32.087	32.101	32.114	32.127	32.140	32.153	<b>1870</b>
<b>1880</b>	32.153	32.166	32.179	32.192	32.205	32.218	32.231	32.244	32.257	32.270	32.283	<b>1880</b>
<b>1890</b>	32.283	32.296	32.309	32.322	32.335	32.348	32.361	32.374	32.387	32.400	32.413	<b>1890</b>
<b>1900</b>	32.413	32.426	32.439	32.451	32.464	32.477	32.490	32.503	32.516	32.529	32.542	<b>1900</b>
<b>1910</b>	32.542	32.554	32.567	32.580	32.593	32.606	32.619	32.631	32.644	32.657	32.670	<b>1910</b>
<b>1920</b>	32.670	32.683	32.695	32.708	32.721	32.734	32.746	32.759	32.772	32.784	32.797	<b>1920</b>
<b>1930</b>	32.797	32.810	32.823	32.835	32.848	32.861	32.873	32.886	32.899	32.911	32.924	<b>1930</b>
<b>1940</b>	32.924	32.937	32.949	32.962	32.974	32.987	33.000	33.012	33.025	33.037	33.050	<b>1940</b>
<b>1950</b>	33.050	33.063	33.075	33.088	33.100	33.113	33.125	33.138	33.150	33.163	33.175	<b>1950</b>
<b>1960</b>	33.175	33.188	33.200	33.213	33.225	33.238	33.250	33.263	33.275	33.287	33.300	<b>1960</b>
<b>1970</b>	33.300	33.312	33.325	33.337	33.350	33.362	33.374	33.387	33.399	33.411	33.424	<b>1970</b>
<b>1980</b>	33.424	33.436	33.448	33.461	33.473	33.485	33.498	33.510	33.522	33.535	33.547	<b>1980</b>
<b>1990</b>	33.547	33.559	33.571	33.584	33.596	33.608	33.620	33.632	33.645	33.657	33.669	<b>1990</b>
<b>2000</b>	33.669	33.681	33.693	33.706	33.718	33.730	33.742	33.754	33.766	33.779	33.791	<b>2000</b>
<b>2010</b>	33.791	33.803	33.815	33.827	33.839	33.851	33.863	33.875	33.887	33.899	33.911	<b>2010</b>
<b>2020</b>	33.911	33.923	33.936	33.948	33.960	33.972	33.984	33.996	34.008	34.019	34.031	<b>2020</b>
<b>2030</b>	34.031	34.043	34.055	34.067	34.079	34.091	34.103	34.115	34.127	34.139	34.151	<b>2030</b>
<b>2040</b>	34.151	34.163	34.174	34.186	34.198	34.210	34.222	34.234	34.245	34.257	34.269	<b>2040</b>
<b>2050</b>	34.269	34.281	34.293	34.304	34.316	34.328	34.340	34.351	34.363	34.375	34.387	<b>2050</b>
<b>2060</b>	34.387	34.398	34.410	34.422	34.433	34.445	34.457	34.468	34.480	34.492	34.503	<b>2060</b>
<b>2070</b>	34.503	34.515	34.527	34.538	34.550	34.561	34.573	34.585	34.596	34.608	34.619	<b>2070</b>
<b>2080</b>	34.619	34.631	34.642	34.654	34.665	34.677	34.688	34.700	34.711	34.723	34.734	<b>2080</b>
<b>2090</b>	34.734	34.746	34.757	34.769	34.780	34.792	34.803	34.814	34.826	34.837	34.849	<b>2090</b>



## Type C Thermocouple Reference Tables (Celsius)

<u>Thermoelectric Voltage in Millivolts</u>												
°C	0	1	2	3	4	5	6	7	8	9	10	°C
<b>2100</b>	34.849	34.860	34.871	34.883	34.894	34.905	34.917	34.928	34.939	34.951	34.962	<b>2100</b>
<b>2110</b>	34.962	34.973	34.984	34.996	35.007	35.018	35.029	35.041	35.052	35.063	35.074	<b>2110</b>
<b>2120</b>	35.074	35.085	35.097	35.108	35.119	35.130	35.141	35.152	35.164	35.175	35.186	<b>2120</b>
<b>2130</b>	35.186	35.197	35.208	35.219	35.230	35.241	35.252	35.263	35.274	35.285	35.296	<b>2130</b>
<b>2140</b>	35.296	35.307	35.318	35.329	35.340	35.351	35.362	35.373	35.384	35.395	35.406	<b>2140</b>
<b>2150</b>	35.406	35.417	35.428	35.439	35.450	35.461	35.472	35.482	35.493	35.504	35.515	<b>2150</b>
<b>2160</b>	35.515	35.526	35.537	35.547	35.558	35.569	35.580	35.591	35.601	35.612	35.623	<b>2160</b>
<b>2170</b>	35.623	35.634	35.644	35.655	35.666	35.676	35.687	35.698	35.708	35.719	35.730	<b>2170</b>
<b>2180</b>	35.730	35.740	35.751	35.762	35.772	35.783	35.793	35.804	35.814	35.825	35.836	<b>2180</b>
<b>2190</b>	35.836	35.846	35.857	35.867	35.878	35.888	35.899	35.909	35.920	35.930	35.940	<b>2190</b>
<b>2200</b>	35.940	35.951	35.961	35.972	35.982	35.993	36.003	36.013	36.024	36.034	36.044	<b>2200</b>
<b>2210</b>	36.044	36.055	36.065	36.075	36.086	36.096	36.106	36.116	36.127	36.137	36.147	<b>2210</b>
<b>2220</b>	36.147	36.157	36.168	36.178	36.188	36.198	36.208	36.219	36.229	36.239	36.249	<b>2220</b>
<b>2230</b>	36.249	36.259	36.269	36.279	36.289	36.300	36.310	36.320	36.330	36.340	36.350	<b>2230</b>
<b>2240</b>	36.350	36.360	36.370	36.380	36.390	36.400	36.410	36.420	36.430	36.440	36.449	<b>2240</b>
<b>2250</b>	36.449	36.459	36.469	36.479	36.489	36.499	36.509	36.519	36.528	36.538	36.548	<b>2250</b>
<b>2260</b>	36.548	36.558	36.568	36.577	36.587	36.597	36.607	36.616	36.626	36.636	36.645	<b>2260</b>
<b>2270</b>	36.645	36.655	36.665	36.675	36.684	36.694	36.703	36.713	36.723	36.732	36.742	<b>2270</b>
<b>2280</b>	36.742	36.751	36.761	36.771	36.780	36.790	36.799	36.809	36.818	36.828	36.837	<b>2280</b>
<b>2290</b>	36.837	36.846	36.856	36.865	36.875	36.884	36.894	36.903	36.912	36.922	36.931	<b>2290</b>
<b>2300</b>	36.931	36.940	36.950	36.959	36.968	36.978	36.987	36.996	37.005	37.015	37.024	<b>2300</b>
<b>2310</b>	37.024	37.033	37.042	37.051	37.061	37.070						<b>2310</b>

Reference ASTM E988.

Temperature in Degrees °C, reference junction at 0°C.

"W5" Conax Designation, not ANSI/ASTM