



Type J Thermocouple Reference Tables (Celsius)

Thermoelectric Voltage in Millivolts

| °C | -10 | -9 | -8 | -7 | -6 | -5 | -4 | -3 | -2 | -1 | 0 | °C |
|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| -210 | | | | | | | | | | | -8.095 | -210 |
| -200 | -8.095 | -8.076 | -8.057 | -8.037 | -8.017 | -7.996 | -7.976 | -7.955 | -7.934 | -7.912 | -7.890 | -200 |
| -190 | -7.890 | -7.868 | -7.846 | -7.824 | -7.801 | -7.778 | -7.755 | -7.731 | -7.707 | -7.683 | -7.659 | -190 |
| -180 | -7.659 | -7.634 | -7.610 | -7.585 | -7.559 | -7.534 | -7.508 | -7.482 | -7.456 | -7.429 | -7.403 | -180 |
| -170 | -7.403 | -7.376 | -7.348 | -7.321 | -7.293 | -7.265 | -7.237 | -7.209 | -7.181 | -7.152 | -7.123 | -170 |
| -160 | -7.123 | -7.094 | -7.064 | -7.035 | -7.005 | -6.975 | -6.944 | -6.914 | -6.883 | -6.853 | -6.821 | -160 |
| -150 | -6.821 | -6.790 | -6.759 | -6.727 | -6.695 | -6.663 | -6.631 | -6.598 | -6.566 | -6.533 | -6.500 | -150 |
| -140 | -6.500 | -6.467 | -6.433 | -6.400 | -6.366 | -6.332 | -6.298 | -6.263 | -6.229 | -6.194 | -6.159 | -140 |
| -130 | -6.159 | -6.124 | -6.089 | -6.054 | -6.018 | -5.982 | -5.946 | -5.910 | -5.874 | -5.838 | -5.801 | -130 |
| -120 | -5.801 | -5.764 | -5.727 | -5.690 | -5.653 | -5.616 | -5.578 | -5.541 | -5.503 | -5.465 | -5.426 | -120 |
| -110 | -5.426 | -5.388 | -5.350 | -5.311 | -5.272 | -5.233 | -5.194 | -5.155 | -5.116 | -5.076 | -5.037 | -110 |
| -100 | -5.037 | -4.997 | -4.957 | -4.917 | -4.877 | -4.836 | -4.796 | -4.755 | -4.714 | -4.674 | -4.633 | -100 |
| -90 | -4.633 | -4.591 | -4.550 | -4.509 | -4.467 | -4.425 | -4.384 | -4.342 | -4.300 | -4.257 | -4.215 | -90 |
| -80 | -4.215 | -4.173 | -4.130 | -4.088 | -4.045 | -4.002 | -3.959 | -3.916 | -3.872 | -3.829 | -3.786 | -80 |
| -70 | -3.786 | -3.742 | -3.698 | -3.654 | -3.610 | -3.566 | -3.522 | -3.478 | -3.434 | -3.389 | -3.344 | -70 |
| -60 | -3.344 | -3.300 | -3.255 | -3.210 | -3.165 | -3.120 | -3.075 | -3.029 | -2.984 | -2.938 | -2.893 | -60 |
| -50 | -2.893 | -2.847 | -2.801 | -2.755 | -2.709 | -2.663 | -2.617 | -2.571 | -2.524 | -2.478 | -2.431 | -50 |
| -40 | -2.431 | -2.385 | -2.338 | -2.291 | -2.244 | -2.197 | -2.150 | -2.103 | -2.055 | -2.008 | -1.961 | -40 |
| -30 | -1.961 | -1.913 | -1.865 | -1.818 | -1.770 | -1.722 | -1.674 | -1.626 | -1.578 | -1.530 | -1.482 | -30 |
| -20 | -1.482 | -1.433 | -1.385 | -1.336 | -1.288 | -1.239 | -1.190 | -1.142 | -1.093 | -1.044 | -0.995 | -20 |
| -10 | -0.995 | -0.946 | -0.896 | -0.847 | -0.798 | -0.749 | -0.699 | -0.650 | -0.600 | -0.550 | -0.501 | -10 |
| 0 | -0.501 | -0.451 | -0.401 | -0.351 | -0.301 | -0.251 | -0.201 | -0.151 | -0.101 | -0.050 | 0.000 | 0 |
| °C | -10 | -9 | -8 | -7 | -6 | -5 | -4 | -3 | -2 | -1 | 0 | °C |
| °C | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | °C |
| 0 | 0.000 | 0.050 | 0.101 | 0.151 | 0.202 | 0.253 | 0.303 | 0.354 | 0.405 | 0.456 | 0.507 | 0 |
| 10 | 0.507 | 0.558 | 0.609 | 0.660 | 0.711 | 0.762 | 0.814 | 0.865 | 0.916 | 0.968 | 1.019 | 10 |
| 20 | 1.019 | 1.071 | 1.122 | 1.174 | 1.226 | 1.277 | 1.329 | 1.381 | 1.433 | 1.485 | 1.537 | 20 |
| 30 | 1.537 | 1.589 | 1.641 | 1.693 | 1.745 | 1.797 | 1.849 | 1.902 | 1.954 | 2.006 | 2.059 | 30 |
| 40 | 2.059 | 2.111 | 2.164 | 2.216 | 2.269 | 2.322 | 2.374 | 2.427 | 2.480 | 2.532 | 2.585 | 40 |



Type J Thermocouple Reference Tables (Celsius)

Thermoelectric Voltage in Millivolts

| C | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | °C |
|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|
| 50 | 2.585 | 2.638 | 2.691 | 2.744 | 2.797 | 2.850 | 2.903 | 2.956 | 3.009 | 3.062 | 3.116 | 50 |
| 60 | 3.116 | 3.169 | 3.222 | 3.275 | 3.329 | 3.382 | 3.436 | 3.489 | 3.543 | 3.596 | 3.650 | 60 |
| 70 | 3.650 | 3.703 | 3.757 | 3.810 | 3.864 | 3.918 | 3.971 | 4.025 | 4.079 | 4.133 | 4.187 | 70 |
| 80 | 4.187 | 4.240 | 4.294 | 4.348 | 4.402 | 4.456 | 4.510 | 4.564 | 4.618 | 4.672 | 4.726 | 80 |
| 90 | 4.726 | 4.781 | 4.835 | 4.889 | 4.943 | 4.997 | 5.052 | 5.106 | 5.160 | 5.215 | 5.269 | 90 |
| 100 | 5.269 | 5.323 | 5.378 | 5.432 | 5.487 | 5.541 | 5.595 | 5.650 | 5.705 | 5.759 | 5.814 | 100 |
| 110 | 5.814 | 5.868 | 5.923 | 5.977 | 6.032 | 6.087 | 6.141 | 6.196 | 6.251 | 6.306 | 6.360 | 110 |
| 120 | 6.360 | 6.415 | 6.470 | 6.525 | 6.579 | 6.634 | 6.689 | 6.744 | 6.799 | 6.854 | 6.909 | 120 |
| 130 | 6.909 | 6.964 | 7.019 | 7.074 | 7.129 | 7.184 | 7.239 | 7.294 | 7.349 | 7.404 | 7.459 | 130 |
| 140 | 7.459 | 7.514 | 7.569 | 7.624 | 7.679 | 7.734 | 7.789 | 7.844 | 7.900 | 7.955 | 8.010 | 140 |
| 150 | 8.010 | 8.065 | 8.120 | 8.175 | 8.231 | 8.286 | 8.341 | 8.396 | 8.452 | 8.507 | 8.562 | 150 |
| 160 | 8.562 | 8.618 | 8.673 | 8.728 | 8.783 | 8.839 | 8.894 | 8.949 | 9.005 | 9.060 | 9.115 | 160 |
| 170 | 9.115 | 9.171 | 9.226 | 9.282 | 9.337 | 9.392 | 9.448 | 9.503 | 9.559 | 9.614 | 9.669 | 170 |
| 180 | 9.669 | 9.725 | 9.780 | 9.836 | 9.891 | 9.947 | 10.002 | 10.057 | 10.113 | 10.168 | 10.224 | 180 |
| 190 | 10.224 | 10.279 | 10.335 | 10.390 | 10.446 | 10.501 | 10.557 | 10.612 | 10.668 | 10.723 | 10.779 | 190 |
| 200 | 10.779 | 10.834 | 10.890 | 10.945 | 11.001 | 11.056 | 11.112 | 11.167 | 11.223 | 11.278 | 11.334 | 200 |
| 210 | 11.334 | 11.389 | 11.445 | 11.501 | 11.556 | 11.612 | 11.667 | 11.723 | 11.778 | 11.834 | 11.889 | 210 |
| 220 | 11.889 | 11.945 | 12.000 | 12.056 | 12.111 | 12.167 | 12.222 | 12.278 | 12.334 | 12.389 | 12.445 | 220 |
| 230 | 12.445 | 12.500 | 12.556 | 12.611 | 12.667 | 12.722 | 12.778 | 12.833 | 12.889 | 12.944 | 13.000 | 230 |
| 240 | 13.000 | 13.056 | 13.111 | 13.167 | 13.222 | 13.278 | 13.333 | 13.389 | 13.444 | 13.500 | 13.555 | 240 |
| 250 | 13.555 | 13.611 | 13.666 | 13.722 | 13.777 | 13.833 | 13.888 | 13.944 | 13.999 | 14.055 | 14.110 | 250 |
| 260 | 14.110 | 14.166 | 14.221 | 14.277 | 14.332 | 14.388 | 14.443 | 14.499 | 14.554 | 14.609 | 14.665 | 260 |
| 270 | 14.665 | 14.720 | 14.776 | 14.831 | 14.887 | 14.942 | 14.998 | 15.053 | 15.109 | 15.164 | 15.219 | 270 |
| 280 | 15.219 | 15.275 | 15.330 | 15.386 | 15.441 | 15.496 | 15.552 | 15.607 | 15.663 | 15.718 | 15.773 | 280 |
| 290 | 15.773 | 15.829 | 15.884 | 15.940 | 15.995 | 16.050 | 16.106 | 16.161 | 16.216 | 16.272 | 16.327 | 290 |
| 300 | 16.327 | 16.383 | 16.438 | 16.493 | 16.549 | 16.604 | 16.659 | 16.715 | 16.770 | 16.825 | 16.881 | 300 |
| 310 | 16.881 | 16.936 | 16.991 | 17.046 | 17.102 | 17.157 | 17.212 | 17.268 | 17.323 | 17.378 | 17.434 | 310 |
| 320 | 17.434 | 17.489 | 17.544 | 17.599 | 17.655 | 17.710 | 17.765 | 17.820 | 17.876 | 17.931 | 17.986 | 320 |
| 330 | 17.986 | 18.041 | 18.097 | 18.152 | 18.207 | 18.262 | 18.318 | 18.373 | 18.428 | 18.483 | 18.538 | 330 |
| 340 | 18.538 | 18.594 | 18.649 | 18.704 | 18.759 | 18.814 | 18.870 | 18.925 | 18.980 | 19.035 | 19.090 | 340 |
| 350 | 19.090 | 19.146 | 19.201 | 19.256 | 19.311 | 19.366 | 19.422 | 19.477 | 19.532 | 19.587 | 19.642 | 350 |
| 360 | 19.642 | 19.697 | 19.753 | 19.808 | 19.863 | 19.918 | 19.973 | 20.028 | 20.083 | 20.139 | 20.194 | 360 |
| 370 | 20.194 | 20.249 | 20.304 | 20.359 | 20.414 | 20.469 | 20.525 | 20.580 | 20.635 | 20.690 | 20.745 | 370 |
| 380 | 20.745 | 20.800 | 20.855 | 20.911 | 20.966 | 21.021 | 21.076 | 21.131 | 21.186 | 21.241 | 21.297 | 380 |
| 390 | 21.297 | 21.352 | 21.407 | 21.462 | 21.517 | 21.572 | 21.627 | 21.683 | 21.738 | 21.793 | 21.848 | 390 |



Type J Thermocouple Reference Tables (Celsius)

Thermoelectric Voltage in Millivolts

| °C | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | °C |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------------|
| 400 | 21.848 | 21.903 | 21.958 | 22.014 | 22.069 | 22.124 | 22.179 | 22.234 | 22.289 | 22.345 | 22.400 | 400 |
| 410 | 22.400 | 22.455 | 22.510 | 22.565 | 22.620 | 22.676 | 22.731 | 22.786 | 22.841 | 22.896 | 22.952 | 410 |
| 420 | 22.952 | 23.007 | 23.062 | 23.117 | 23.172 | 23.228 | 23.283 | 23.338 | 23.393 | 23.449 | 23.504 | 420 |
| 430 | 23.504 | 23.559 | 23.614 | 23.670 | 23.725 | 23.780 | 23.835 | 23.891 | 23.946 | 24.001 | 24.057 | 430 |
| 440 | 24.057 | 24.112 | 24.167 | 24.223 | 24.278 | 24.333 | 24.389 | 24.444 | 24.499 | 24.555 | 24.610 | 440 |
| 450 | 24.610 | 24.665 | 24.721 | 24.776 | 24.832 | 24.887 | 24.943 | 24.998 | 25.053 | 25.109 | 25.164 | 450 |
| 460 | 25.164 | 25.220 | 25.275 | 25.331 | 25.386 | 25.442 | 25.497 | 25.553 | 25.608 | 25.664 | 25.720 | 460 |
| 470 | 25.720 | 25.775 | 25.831 | 25.886 | 25.942 | 25.998 | 26.053 | 26.109 | 26.165 | 26.220 | 26.276 | 470 |
| 480 | 26.276 | 26.332 | 26.387 | 26.443 | 26.499 | 26.555 | 26.610 | 26.666 | 26.722 | 26.778 | 26.834 | 480 |
| 490 | 26.834 | 26.889 | 26.945 | 27.001 | 27.057 | 27.113 | 27.169 | 27.225 | 27.281 | 27.337 | 27.393 | 490 |
| 500 | 27.393 | 27.449 | 27.505 | 27.561 | 27.617 | 27.673 | 27.729 | 27.785 | 27.841 | 27.897 | 27.953 | 500 |
| 510 | 27.953 | 28.010 | 28.066 | 28.122 | 28.178 | 28.234 | 28.291 | 28.347 | 28.403 | 28.460 | 28.516 | 510 |
| 520 | 28.516 | 28.572 | 28.629 | 28.685 | 28.741 | 28.798 | 28.854 | 28.911 | 28.967 | 29.024 | 29.080 | 520 |
| 530 | 29.080 | 29.137 | 29.194 | 29.250 | 29.307 | 29.363 | 29.420 | 29.477 | 29.534 | 29.590 | 29.647 | 530 |
| 540 | 29.647 | 29.704 | 29.761 | 29.818 | 29.874 | 29.931 | 29.988 | 30.045 | 30.102 | 30.159 | 30.216 | 540 |
| 550 | 30.216 | 30.273 | 30.330 | 30.387 | 30.444 | 30.502 | 30.559 | 30.616 | 30.673 | 30.730 | 30.788 | 550 |
| 560 | 30.788 | 30.845 | 30.902 | 30.960 | 31.017 | 31.074 | 31.132 | 31.189 | 31.247 | 31.304 | 31.362 | 560 |
| 570 | 31.362 | 31.419 | 31.477 | 31.535 | 31.592 | 31.650 | 31.708 | 31.766 | 31.823 | 31.881 | 31.939 | 570 |
| 580 | 31.939 | 31.997 | 32.055 | 32.113 | 32.171 | 32.229 | 32.287 | 32.345 | 32.403 | 32.461 | 32.519 | 580 |
| 590 | 32.519 | 32.577 | 32.636 | 32.694 | 32.752 | 32.810 | 32.869 | 32.927 | 32.985 | 33.044 | 33.102 | 590 |
| 600 | 33.102 | 33.161 | 33.219 | 33.278 | 33.337 | 33.395 | 33.454 | 33.513 | 33.571 | 33.630 | 33.689 | 600 |
| 610 | 33.689 | 33.748 | 33.807 | 33.866 | 33.925 | 33.984 | 34.043 | 34.102 | 34.161 | 34.220 | 34.279 | 610 |
| 620 | 34.279 | 34.338 | 34.397 | 34.457 | 34.516 | 34.575 | 34.635 | 34.694 | 34.754 | 34.813 | 34.873 | 620 |
| 630 | 34.873 | 34.932 | 34.992 | 35.051 | 35.111 | 35.171 | 35.230 | 35.290 | 35.350 | 35.410 | 35.470 | 630 |
| 640 | 35.470 | 35.530 | 35.590 | 35.650 | 35.710 | 35.770 | 35.830 | 35.890 | 35.950 | 36.010 | 36.071 | 640 |
| 650 | 36.071 | 36.131 | 36.191 | 36.252 | 36.312 | 36.373 | 36.433 | 36.494 | 36.554 | 36.615 | 36.675 | 650 |
| 660 | 36.675 | 36.736 | 36.797 | 36.858 | 36.918 | 36.979 | 37.040 | 37.101 | 37.162 | 37.223 | 37.284 | 660 |
| 670 | 37.284 | 37.345 | 37.406 | 37.467 | 37.528 | 37.590 | 37.651 | 37.712 | 37.773 | 37.835 | 37.896 | 670 |
| 680 | 37.896 | 37.958 | 38.019 | 38.081 | 38.142 | 38.204 | 38.265 | 38.327 | 38.389 | 38.450 | 38.512 | 680 |
| 690 | 38.512 | 38.574 | 38.636 | 38.698 | 38.760 | 38.822 | 38.884 | 38.946 | 39.008 | 39.070 | 39.132 | 690 |
| 700 | 39.132 | 39.194 | 39.256 | 39.318 | 39.381 | 39.443 | 39.505 | 39.568 | 39.630 | 39.693 | 39.755 | 700 |
| 710 | 39.755 | 39.818 | 39.880 | 39.943 | 40.005 | 40.068 | 40.131 | 40.193 | 40.256 | 40.319 | 40.382 | 710 |
| 720 | 40.382 | 40.445 | 40.508 | 40.570 | 40.633 | 40.696 | 40.759 | 40.822 | 40.886 | 40.949 | 41.012 | 720 |
| 730 | 41.012 | 41.075 | 41.138 | 41.201 | 41.265 | 41.328 | 41.391 | 41.455 | 41.518 | 41.581 | 41.645 | 730 |
| 740 | 41.645 | 41.708 | 41.772 | 41.835 | 41.899 | 41.962 | 42.026 | 42.090 | 42.153 | 42.217 | 42.281 | 740 |



Type J Thermocouple Reference Tables (Celsius)

Thermoelectric Voltage in Millivolts

| °C | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | °C |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|
| 750 | 42.281 | 42.344 | 42.408 | 42.472 | 42.536 | 42.599 | 42.663 | 42.727 | 42.791 | 42.855 | 42.919 | 750 |
| *760 | 42.919 | 42.983 | 43.047 | 43.111 | 43.175 | 43.239 | 43.303 | 43.367 | 43.431 | 43.495 | 43.559 | 760 |
| 770 | 43.559 | 43.624 | 43.688 | 43.752 | 43.817 | 43.881 | 43.945 | 44.010 | 44.074 | 44.139 | 44.203 | 770 |
| 780 | 44.203 | 44.267 | 44.332 | 44.396 | 44.461 | 44.525 | 44.590 | 44.655 | 44.719 | 44.784 | 44.848 | 780 |
| 790 | 44.848 | 44.913 | 44.977 | 45.042 | 45.107 | 45.171 | 45.236 | 45.301 | 45.365 | 45.430 | 45.494 | 790 |
| 800 | 45.494 | 45.559 | 45.624 | 45.688 | 45.753 | 45.818 | 45.882 | 45.947 | 46.011 | 46.076 | 46.141 | 800 |
| 810 | 46.141 | 46.205 | 46.270 | 46.334 | 46.399 | 46.464 | 46.528 | 46.593 | 46.657 | 46.722 | 46.786 | 810 |
| 820 | 46.786 | 46.851 | 46.915 | 46.980 | 47.044 | 47.109 | 47.173 | 47.238 | 47.302 | 47.367 | 47.431 | 820 |
| 830 | 47.431 | 47.495 | 47.560 | 47.624 | 47.688 | 47.753 | 47.817 | 47.881 | 47.946 | 48.010 | 48.074 | 830 |
| 840 | 48.074 | 48.138 | 48.202 | 48.267 | 48.331 | 48.395 | 48.459 | 48.523 | 48.587 | 48.651 | 48.715 | 840 |
| 850 | 48.715 | 48.779 | 48.843 | 48.907 | 48.971 | 49.034 | 49.098 | 49.162 | 49.226 | 49.290 | 49.353 | 850 |
| 860 | 49.353 | 49.417 | 49.481 | 49.544 | 49.608 | 49.672 | 49.735 | 49.799 | 49.862 | 49.926 | 49.989 | 860 |
| 870 | 49.989 | 50.052 | 50.116 | 50.179 | 50.243 | 50.306 | 50.369 | 50.432 | 50.495 | 50.559 | 50.622 | 870 |
| 880 | 50.622 | 50.685 | 50.748 | 50.811 | 50.874 | 50.937 | 51.000 | 51.063 | 51.126 | 51.188 | 51.251 | 880 |
| 890 | 51.251 | 51.314 | 51.377 | 51.439 | 51.502 | 51.565 | 51.627 | 51.690 | 51.752 | 51.815 | 51.877 | 890 |
| 900 | 51.877 | 51.940 | 52.002 | 52.064 | 52.127 | 52.189 | 52.251 | 52.314 | 52.376 | 52.438 | 52.500 | 900 |
| 910 | 52.500 | 52.562 | 52.624 | 52.686 | 52.748 | 52.810 | 52.872 | 52.934 | 52.996 | 53.057 | 53.119 | 910 |
| 920 | 53.119 | 53.181 | 53.243 | 53.304 | 53.366 | 53.427 | 53.489 | 53.550 | 53.612 | 53.673 | 53.735 | 920 |
| 930 | 53.735 | 53.796 | 53.857 | 53.919 | 53.980 | 54.041 | 54.102 | 54.164 | 54.225 | 54.286 | 54.347 | 930 |
| 940 | 54.347 | 54.408 | 54.469 | 54.530 | 54.591 | 54.652 | 54.713 | 54.773 | 54.834 | 54.895 | 54.956 | 940 |
| 950 | 54.956 | 55.016 | 55.077 | 55.138 | 55.198 | 55.259 | 55.319 | 55.380 | 55.440 | 55.501 | 55.561 | 950 |
| 960 | 55.561 | 55.622 | 55.682 | 55.742 | 55.803 | 55.863 | 55.923 | 55.983 | 56.043 | 56.104 | 56.164 | 960 |
| 970 | 56.164 | 56.224 | 56.284 | 56.344 | 56.404 | 56.464 | 56.524 | 56.584 | 56.643 | 56.703 | 56.763 | 970 |
| 980 | 56.763 | 56.823 | 56.883 | 56.942 | 57.002 | 57.062 | 57.121 | 57.181 | 57.240 | 57.300 | 57.360 | 980 |
| 990 | 57.360 | 57.419 | 57.479 | 57.538 | 57.597 | 57.657 | 57.716 | 57.776 | 57.835 | 57.894 | 57.953 | 990 |
| 1000 | 57.953 | 58.013 | 58.072 | 58.131 | 58.190 | 58.249 | 58.309 | 58.368 | 58.427 | 58.486 | 58.545 | 1000 |
| 1010 | 58.545 | 58.604 | 58.663 | 58.722 | 58.781 | 58.840 | 58.899 | 58.957 | 59.016 | 59.075 | 59.134 | 1010 |
| 1020 | 59.134 | 59.193 | 59.252 | 59.310 | 59.369 | 59.428 | 59.487 | 59.545 | 59.604 | 59.663 | 59.721 | 1020 |
| 1030 | 59.721 | 59.780 | 59.838 | 59.897 | 59.956 | 60.014 | 60.073 | 60.131 | 60.190 | 60.248 | 60.307 | 1030 |
| 1040 | 60.307 | 60.365 | 60.423 | 60.482 | 60.540 | 60.599 | 60.657 | 60.715 | 60.774 | 60.832 | 60.890 | 1040 |
| 1050 | 60.890 | 60.949 | 61.007 | 61.065 | 61.123 | 61.182 | 61.240 | 61.298 | 61.356 | 61.415 | 61.473 | 1050 |
| 1060 | 61.473 | 61.531 | 61.589 | 61.647 | 61.705 | 61.763 | 61.822 | 61.880 | 61.938 | 61.996 | 62.054 | 1060 |
| 1070 | 62.054 | 62.112 | 62.170 | 62.228 | 62.286 | 62.344 | 62.402 | 62.460 | 62.518 | 62.576 | 62.634 | 1070 |
| 1080 | 62.634 | 62.692 | 62.750 | 62.808 | 62.866 | 62.924 | 62.982 | 63.040 | 63.098 | 63.156 | 63.214 | 1080 |
| 1090 | 63.214 | 63.271 | 63.329 | 63.387 | 63.445 | 63.503 | 63.561 | 63.619 | 63.677 | 63.734 | 63.792 | 1090 |

* Represents the maximum temperature up to which calibration tolerances have been established.



Type J Thermocouple Reference Tables (Celsius)

Thermoelectric Voltage in Millivolts

| °C | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | °C |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|
| 1100 | 63.792 | 63.850 | 63.908 | 63.966 | 64.024 | 64.081 | 64.139 | 64.197 | 64.255 | 64.313 | 64.370 | 1100 |
| 1110 | 64.370 | 64.428 | 64.486 | 64.544 | 64.602 | 64.659 | 64.717 | 64.775 | 64.833 | 64.890 | 64.948 | 1110 |
| 1120 | 64.948 | 65.006 | 65.064 | 65.121 | 65.179 | 65.237 | 65.295 | 65.352 | 65.410 | 65.468 | 65.525 | 1120 |
| 1130 | 65.525 | 65.583 | 65.641 | 65.699 | 65.756 | 65.814 | 65.872 | 65.929 | 65.987 | 66.045 | 66.102 | 1130 |
| 1140 | 66.102 | 66.160 | 66.218 | 66.275 | 66.333 | 66.391 | 66.448 | 66.506 | 66.564 | 66.621 | 66.679 | 1140 |
| 1150 | 66.679 | 66.737 | 66.794 | 66.852 | 66.910 | 66.967 | 67.025 | 67.082 | 67.140 | 67.198 | 67.255 | 1150 |
| 1160 | 67.255 | 67.313 | 67.370 | 67.428 | 67.486 | 67.543 | 67.601 | 67.658 | 67.716 | 67.773 | 67.831 | 1160 |
| 1170 | 67.831 | 67.888 | 67.946 | 68.003 | 68.061 | 68.119 | 68.176 | 68.234 | 68.291 | 68.348 | 68.406 | 1170 |
| 1180 | 68.406 | 68.463 | 68.521 | 68.578 | 68.636 | 68.693 | 68.751 | 68.808 | 68.865 | 68.923 | 68.980 | 1180 |
| 1190 | 68.980 | 69.037 | 69.095 | 69.152 | 69.209 | 69.267 | 69.324 | 69.381 | 69.439 | 69.496 | 69.553 | 1190 |
| 1200 | 69.553 | | | | | | | | | | | 1200 |

Reference N.I.S.T. Monograph 175 (ITS-90).
Temperature in Degrees °C, reference junction at 0°C.